


Name:

Common Core Geometry Regents Review Packet!

Mr. Schlansky



2024

Performing Transformations

Reflections

Flip (Count to what you are reflecting over)

*Switch the coordinates for reflection over $y = x$

$y = \#$ is horizontal line, $x = \#$ is vertical line. You must graph these lines before you can reflect over them.

Rotations

$$R_{90} = (-y, x)$$

$$R_{180} = (-x, -y)$$

$$R_{270} = (y, -x)$$

Translation


Slide. Count out the translation on the grid

Dilations

If centered at the origin: multiply the coordinates by the scale factor


If centered at a point: Count from the center to each point the number of times of the scale factor.

1. In the diagram below, $\triangle ABC$ has coordinates $A(1, 1)$, $B(4, 1)$, and $C(4, 5)$. Graph and the image of $\triangle ABC$ after the translation five units to the right and two units up.




2. The coordinates of the vertices of $\triangle RST$ are $R(-2, 3)$, $S(4, 4)$, and $T(2, -2)$. Graph $\triangle RST$.


Graph and label $\triangle R'S'T'$, the image of $\triangle RST$ after a translation 4 units to the left and 2 units up.




3. Triangle ABC is graphed on the set of axes below. Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$ after a reflection over the line $y = x$.




4. The coordinates of the vertices of $\triangle RST$ are $R(-2, 3)$, $S(4, 4)$, and $T(2, -2)$. Graph $\triangle RST$. Graph and label $\triangle R'S'T'$, the image of $\triangle RST$ after a reflection in the line $y = x$.




5. The coordinates of the vertices of $\triangle RST$ are $R(-2, 3)$, $S(4, 4)$, and $T(2, -2)$. Graph $\triangle RST$. Graph and label $\triangle R'S'T'$, the image of $\triangle RST$ after a reflection in x-axis.




6. The coordinates of the vertices of $\triangle RST$ are $R(-2, 3)$, $S(4, 4)$, and $T(2, -2)$. Graph $\triangle RST$. Graph and label $\triangle R'S'T'$, the image of $\triangle RST$ after a reflection in y-axis.




7. Triangle ABC is graphed on the set of axes below. Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$ after a reflection over the line $x = 1$.




8. Triangle ABC is graphed on the set of axes below. Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$ after a reflection over the line $y = -1$.




9. On the accompanying set of axes, graph $\triangle ABC$ with coordinates $A(-1, 2)$, $B(0, 6)$, and $C(5, 4)$. Then graph $\triangle A'B'C'$, the image of $\triangle ABC$ after a counter-clockwise rotation of 270 centered at the origin.




10. The coordinates of the vertices of $\triangle RST$ are $R(-2, 3)$, $S(4, 4)$, and $T(2, -2)$. Graph $\triangle RST$. Graph and label $\triangle R'S'T'$, the image of $\triangle RST$ after a counter-clockwise rotation of 90 centered at the origin.




11. On the accompanying set of axes, graph $\triangle ABC$ with coordinates $A(-1, 2)$, $B(0, 6)$, and $C(5, 4)$. Then graph $\triangle A'B'C'$, the image of $\triangle ABC$ after a clockwise rotation of 180° centered at the origin.




12. The coordinates of the vertices of $\triangle RST$ are $R(-2, 3)$, $S(4, 4)$, and $T(2, -2)$. Graph $\triangle RST$. Graph and label $\triangle R'S'T'$, the image of $\triangle RST$ after a clockwise rotation of 90° centered at the origin.




13. Triangle SUN has coordinates $S(0,4)$, $U(3,5)$, and $N(3,0)$. On the accompanying grid, draw and label $\triangle SUN$. Then, graph and state the coordinates of $\triangle S'U'N'$, the image of $\triangle SUN$ after a dilation of 2 centered at the origin.




14. The coordinates of the vertices of $\triangle RST$ are $R(-2,3)$, $S(4,4)$, and $T(2,-2)$. Graph $\triangle RST$ and $\triangle R'S'T'$, the image of $\triangle RST$ after a dilation of 3 centered at $(1,2)$.



15. Triangle ABC and point $D(1, 2)$ are graphed on the set of axes below. Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$, after a dilation of scale factor 2 centered at point D .



16. Triangle QRS is graphed on the set of axes below. On the same set of axes, graph and label $\triangle Q'R'S'$, the image of $\triangle QRS$ after a dilation with a scale factor of $\frac{3}{2}$ centered at the origin.





Identifying Transformations (Multiple Choice)

Check for orientation!!! (The direction of the letters)

The only transformation that changes orientation is a line reflection (an even amount of reflections will preserve orientation).

Translation = slide

Rotation = turn


Reflection = flip

Dilation = change size (enlarge or shrink)

If necessary, perform the transformations and see which work!


1. In the diagram below, which single transformation was used to map triangle *A* onto triangle *B*?

- 1) line reflection
- 2) rotation
- 3) dilation
- 4) translation



2. In the diagram below, line *m* is parallel to line *n*. Figure 2 is the image of Figure 1 after a reflection over line *m*. Figure 3 is the image of Figure 2 after a reflection over line *n*. Which single transformation would carry Figure 1 onto Figure 3?


- 1) a dilation
- 2) a rotation
- 3) a reflection
- 4) a translation



3. In the diagram below, congruent figures 1, 2, and 3 are drawn.

Which sequence of transformations maps figure 1 onto figure 2 and then figure 2 onto figure 3?


- 1) a reflection followed by a translation
- 2) a rotation followed by a translation
- 3) a translation followed by a reflection
- 4) a translation followed by a rotation



4. A sequence of transformations maps rectangle $ABCD$ onto rectangle $A''B''C''D''$, as shown in the diagram below.


Which sequence of transformations maps $ABCD$ onto $A'B'C'D'$ and then maps $A'B'C'D'$ onto $A''B''C''D''$?

- 1) a reflection followed by a rotation
- 2) a reflection followed by a translation
- 3) a translation followed by a rotation
- 4) a translation followed by a reflection




5. Which sequence of transformations will map $\triangle ABC$ onto $\triangle A'B'C'$?

- 1) reflection and translation
- 2) rotation and reflection
- 3) translation and dilation
- 4) dilation and rotation




6. Identify which sequence of transformations could map pentagon $ABCDE$ onto pentagon $A''B''C''D''E''$, as shown below.



- 1) dilation followed by a rotation
- 2) translation followed by a rotation
- 3) line reflection followed by a translation
- 4) line reflection followed by a line reflection


7. In the diagram below, $\triangle ABC \cong \triangle DEC$.



Which transformation will map $\triangle ABC$ onto $\triangle DEC$?

- | | |
|----------------------|---|
| 1) a rotation | 3) a translation followed by a dilation |
| 2) a line reflection | 4) a line reflection followed by a second line reflection |

8. On the set of axes below, $\triangle ABC$ has vertices at $A(-2, 0)$, $B(2, -4)$, $C(4, 2)$, and $\triangle DEF$ has vertices at $D(4, 0)$, $E(-4, 8)$, $F(-8, -4)$.




Which sequence of transformations will map $\triangle ABC$ onto $\triangle DEF$?


- | | |
|---|--|
| 1) a dilation of $\triangle ABC$ by a scale factor of 2 centered at point A | 3) a dilation of $\triangle ABC$ by a scale factor of 2 centered at the origin, followed by a rotation of 180° about the origin |
| 2) a dilation of $\triangle ABC$ by a scale factor of $\frac{1}{2}$ centered at point A | 4) a dilation of $\triangle ABC$ by a scale factor of $\frac{1}{2}$ centered at the origin, followed by a rotation of 180° about the origin |

9. Triangle ABC and triangle DEF are graphed on the set of axes below. Which sequence of transformations maps triangle ABC onto triangle DEF ?

- 1) a reflection over the x -axis followed by a reflection over the y -axis
- 2) a 180° rotation about the origin followed by a reflection over the line $y = x$
- 3) a 90° clockwise rotation about the origin followed by a reflection over the y -axis
- 4) a translation 8 units to the right and 1 unit up followed by a 90° counterclockwise rotation about the origin



10. In the diagram below, $\triangle ABC \cong \triangle DEF$.




Which sequence of transformations maps $\triangle ABC$ onto $\triangle DEF$?

- | | |
|--|---|
| 1) a reflection over the x -axis followed by a translation | 3) a rotation of 180° about the origin followed by a translation |
| 2) a reflection over the y -axis followed by a translation | 4) a counterclockwise rotation of 90° about the origin followed by a translation |

11. On the set of axes below, $\triangle ABC \cong \triangle A'B'C'$.


Triangle ABC maps onto $\triangle A'B'C'$ after a

- | | |
|--|---|
| 1) reflection over the line $y = -x + 2$ | 3) rotation of 180° centered at (1,1) |
| 2) reflection over the line $y = -x + 2$ | 4) rotation of 180° centered at the origin |




12. On the set of axes below, pentagon $ABCDE$ is congruent to $A''B''C''D''E''$. Which describes a sequence of rigid motions that maps $ABCDE$ onto $A''B''C''D''E''$?

- 1) a rotation of 90° counterclockwise about the origin followed by a reflection over the x -axis
- 2) a rotation of 90° counterclockwise about the origin followed by a translation down 7 units
- 3) a reflection over the y -axis followed by a reflection over the x -axis
- 4) a reflection over the x -axis followed by a rotation of 90° counterclockwise about the origin




13. On the set of axes below, $\triangle LET$ and $\triangle L''E''T''$ are graphed in the coordinate plane where $\triangle LET \cong \triangle L''E''T''$.

- Which sequence of rigid motions maps $\triangle LET$ onto $\triangle L''E''T''$?
- 1) a reflection over the y -axis followed by a reflection over the x -axis
 - 2) a rotation of 180° about the origin
 - 3) a rotation of 90° counterclockwise about the origin followed by a reflection over the y -axis
 - 4) a reflection over the x -axis followed by a rotation of 90° clockwise about the origin



14. On the set of axes below, congruent triangles ABC and DEF are drawn.



Which sequence of transformations maps $\triangle ABC$ onto $\triangle DEF$?

- 1) A counterclockwise rotation of 90° degrees about the origin, followed by a translation 8 units to the right.
- 2) A counterclockwise rotation of 90° degrees about the origin, followed by a reflection over the y -axis.
- 3) A counterclockwise rotation of 90° degrees about the origin, followed by a translation 4 units down.
- 4) A clockwise rotation of 90° degrees about the origin, followed by a reflection over the x -axis.



Identifying Transformations (Open Response)

CHECK FOR ORIENTATION!!!!

Same orientation (rotation first, then translation)

-Rotate any point the appropriate degree measure and direction.

-Translate the rest of the way by counting from that point to its image.


Opposite orientation (reflection first, then translation)

-Reflect over the appropriate axis (use $y=x$ if it needs to be reflected diagonally)


-Translate the rest of the way by counting from any new point to its image.

1. The graph below shows $\triangle ABC$ and its image, $\triangle A''B''C''$.


Describe a sequence of rigid motions which would map $\triangle ABC$ onto $\triangle A''B''C''$.




2. Describe a sequence of transformations that will map $\triangle ABC$ onto $\triangle DEF$ as shown below.




3. On the set of axes below, $\triangle ABC$ and $\triangle DEF$ are graphed. Describe a sequence of rigid motions that would map $\triangle ABC$ onto $\triangle DEF$.




4. On the set of axes below, $\triangle ABC \cong \triangle DEF$. Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle DEF$.




5. On the set of axes below, pentagon $ABCDE$ is congruent to $A''B''C''D''E''$. Describe a sequence of rigid motions that maps pentagon $ABCDE$ onto $A''B''C''D''E''$.




6. Trapezoids $ABCD$ and $A''B''C''D''$ are graphed on the set of axes below. Describe a sequence of transformations that maps trapezoid $ABCD$ onto trapezoid $A''B''C''D''$.




7. On the set of axes below, $\triangle ABC \cong \triangle STU$. Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle STU$.




8. Quadrilaterals *BIKE* and *GOLF* are graphed on the set of axes below. Describe a sequence of transformations that maps quadrilateral *BIKE* onto quadrilateral *GOLF*.




9. On the set of axes below, congruent quadrilaterals $ROCK$ and $R'O'C'K'$ are graphed. Describe a sequence of transformations that would map quadrilateral $ROCK$ onto quadrilateral $R'O'C'K'$.




10. Triangles ABC and DEF are graphed on the set of axes below.



11. On the set of axes below, $\triangle ABC$ is graphed with coordinates $A(-2, -1)$, $B(3, -1)$, and $C(-2, -4)$. Triangle QRS , the image of $\triangle ABC$, is graphed with coordinates $Q(-5, 2)$, $R(-5, 7)$, and $S(-8, 2)$. Describe a sequence of transformations that would map $\triangle ABC$ onto $\triangle QRS$.



12. As graphed on the set of axes below, $\triangle A'B'C'$ is the image of $\triangle ABC$ after a sequence of transformations. Is $\triangle A'B'C'$ congruent to $\triangle ABC$? Use the properties of rigid motion to explain your answer.





Rigid Motion Properties

**A rigid motion preserves size and angle measure producing a congruent figure
They all produce a congruent figure except dilation.**

1. Which transformation would *not* always produce an image that would be congruent to the original figure?

- 1) translation 2) dilation 3) rotation 4) reflection

2. The vertices of $\triangle JKL$ have coordinates $J(5,1)$, $K(-2,-3)$, and $L(-4,1)$. Under which transformation is the image $\triangle J'K'L'$ *not* congruent to $\triangle JKL$?

- 1) a translation of two units to the right and two units down 3) a reflection over the x -axis
2) a counterclockwise rotation of 180 degrees around the origin 4) a dilation with a scale factor of 2 and centered at the origin

3. If $\triangle A'B'C'$ is the image of $\triangle ABC$, under which transformation will the triangles *not* be congruent?

- 1) reflection over the x -axis 3) dilation centered at the origin with scale factor 2
2) translation to the left 5 and down 4 4) rotation of 270° counterclockwise about the origin

4. Under which transformation would $\triangle A'B'C'$, the image of $\triangle ABC$, *not* be congruent to $\triangle ABC$?

- 1) reflection over the y -axis
2) rotation of 90° clockwise about the origin
3) translation of 3 units right and 2 units down
4) dilation with a scale factor of 2 centered at the origin

5. The image of $\triangle DEF$ is $\triangle D'E'F'$. Under which transformation will the triangles *not* be congruent?

- 1) a reflection through the origin 3) a dilation with a scale factor of 1 centered at $(2, 3)$
2) a reflection over the line $y = x$ 4) a dilation with a scale factor of $\frac{3}{2}$ centered at the origin

6. The vertices of $\triangle PQR$ have coordinates $P(2, 3)$, $Q(3, 8)$, and $R(7, 3)$. Under which transformation of $\triangle PQR$ are distance and angle measure preserved?

- 1) $(x,y) \rightarrow (2x, 3y)$ 2) $(x,y) \rightarrow (x+2, 3y)$ 3) $(x,y) \rightarrow (2x, y+3)$ 4) $(x,y) \rightarrow (x+2, y+3)$

7. Which transformation would result in the perimeter of a triangle being different from the perimeter of its image?

- 1) $(x,y) \rightarrow (y, x)$
2) $(x,y) \rightarrow (x, -y)$
3) $(x,y) \rightarrow (4x, 4y)$
4) $(x,y) \rightarrow (x+2, y-5)$



Rigid Motion Proofs


To prove triangles are congruent using rigid motions/transformations

- 1) A _____ and _____ are rigid motions.
- 2) A rigid motion preserves size and angle measure producing a congruent figure.

1. Triangle $A'B'C'$ is the image of triangle ABC after a translation of 2 units to the right and 3 units up. Is triangle ABC congruent to triangle $A'B'C'$? Explain why.

2. After a reflection over a line, $\Delta A'B'C'$ is the image of ΔABC . Explain why triangle ABC is congruent to triangle $\Delta A'B'C'$.

3. In the diagram below, parallelogram $EFGH$ is mapped onto parallelogram $IJKH$ after a reflection over line ℓ . Use the properties of rigid motions to explain why parallelogram $EFGH$ is congruent to parallelogram $IJKH$.



4. The image of triangle ABC after a rotation of 200 degrees clockwise centered at the point $(3,-1)$ is triangle DEF . Are the triangles congruent? Use the properties of rigid motions to explain your answer.



Regular Polygon Rotations

To determine the minimum number of degrees a regular polygon must be rotated to be mapped onto itself:

1) The minimum rotation is $\frac{360}{n}$.

2) **Any multiple of that will also map the regular polygon onto itself!**


1. What is the minimum number of degrees a regular decagon must be rotated to be mapped onto itself?

2. What is the minimum number of degrees a regular hexagon must be rotated to be carried onto itself?

3. A regular pentagon is shown in the diagram below.

If the pentagon is rotated clockwise around its center, the minimum number of degrees it must be rotated to carry the pentagon onto itself is

- 1) 54°
- 2) 72°
- 3) 108°
- 4) 360°




4. Which regular polygon has a minimum rotation of 45° to carry the polygon onto itself?

- 1) octagon
- 2) decagon
- 3) hexagon
- 4) pentagon

5. The regular polygon below is rotated about its center. Which angle of rotation will carry the figure onto itself?

- 1) 60°
- 2) 108°
- 3) 216°
- 4) 540°



6. Which rotation would map a regular hexagon onto itself?

- 1) 45°
- 2) 150°
- 3) 240°
- 4) 315°

7. Which rotation about its center will carry a regular decagon onto itself?

- 1) 54°
- 2) 162°
- 3) 198°
- 4) 252°

8. Which rotation about its center will carry a regular octagon onto itself?

- 1) 80°
- 2) 315°
- 3) 280°
- 4) 120°

9. Which of the following rotations would not map a regular pentagon onto itself?

- 1) 144
- 2) 120
- 3) 216
- 4) 720

10. Which of the following rotations would not map an equilateral triangle onto itself?

- 1) 120°
- 2) 240°
- 3) 180°
- 4) 480°

11. Which figure will *not* carry onto itself after a 120-degree rotation about its center?

- 1) equilateral triangle
- 2) regular hexagon
- 3) regular octagon
- 4) regular nonagon



To map a shape onto itself:

Translation/Dilation: Never.


Reflection: **The line of reflection must be a line of symmetry** (cuts shape in half).

Rotation: **Center of rotation must be the center of the shape.** Use common sense for degree measure.

1. Circle K is shown in the graph below.

Which of the following transformations map circle K onto itself?


- 1) Reflection over the line x -axis
- 2) Reflection over the y -axis
- 3) Rotation of 90° centered at the origin
- 4) Rotation of 90° centered at K



2. On the set of axes below, Geoff drew rectangle $ABCD$.


What of the following transformations would map the rectangle onto itself?

- 1) Reflection over the y axis
- 2) Reflection over the line $y = 3$
- 3) Rotation of 180° centered at the origin
- 4) Translation one unit to the right



3. In the diagram below, which transformation does *not* map the circle onto itself?


- 1) Rotation of 80° centered at the origin
- 2) Reflection over the line $y = x$
- 3) Rotation of 180° centered at $(4,0)$
- 4) Reflection over the line $x=0$



4. The vertices of the triangle in the diagram below are $A(7, 9)$, $B(3, 3)$, and $C(11, 3)$.


Which transformation will map $\triangle ABC$ onto itself?

- 1) Rotation of 60° centered at $(3,3)$
- 2) Reflection over the line $y = 5$
- 3) Reflection over the line $x = 7$
- 4) Translation 3 units up



5. As shown in the graph below, the quadrilateral is a rectangle. Which transformation would *not* map the rectangle onto itself?

- 1) a reflection over the x -axis
- 2) a reflection over the line $x = 4$
- 3) a rotation of 180° about the origin
- 4) a rotation of 180° about the point $(4, 0)$



6. Which figure always has exactly four lines of reflection that map the figure onto itself?


- 1) square
- 2) rectangle
- 3) regular octagon
- 4) equilateral triangle

7. Which transformation would *not* carry a square onto itself?

- 1) a reflection over one of its diagonals
- 2) a 90° rotation clockwise about its center
- 3) a 180° rotation about one of its vertices
- 4) a reflection over the perpendicular bisector of one side

8. Which transformation carries the parallelogram below onto itself?


- 1) a reflection over $y = x$
- 2) a reflection over $y = -x$
- 3) a rotation of 90° counterclockwise about the origin
- 4) a rotation of 180° counterclockwise about the origin



9. The figure below shows a rhombus with noncongruent diagonals.

Which transformation would *not* carry this rhombus onto itself?


- 1) a reflection over the shorter diagonal
- 2) a reflection over the longer diagonal
- 3) a clockwise rotation of 90° about the intersection of the diagonals
- 4) a counterclockwise rotation of 180° about the intersection of the diagonals




$$\text{Scale factor} = \frac{\text{image}}{\text{original}}$$

1. In the diagram below, $\triangle XYZ$ is the image of $\triangle ARF$ after a dilation.


What is the scale factor of the dilation?



2. In the diagram below, $\triangle ACE$ is the image of $\triangle BDE$ after a sequence of transformations. If $\overline{AE} = 6$, $\overline{DE} = 3$, and $\overline{EB} = 4$, what is the scale factor?



3. In the diagram below, $\triangle ABC$ has coordinates $A(1, 1)$, $B(4, 1)$, and $C(4, 5)$. The coordinates of its image after a sequence of transformations is $A'(-9, -2)$, $B'(-3, -2)$, and $C'(-3, 6)$. What is the scale factor?



4. After a dilation with center $(0, 0)$, the image of \overline{DB} is $\overline{D'B'}$. If $DB = 4.5$ and $D'B' = 18$, the scale factor of this dilation is


1) $\frac{1}{5}$

3) $\frac{1}{4}$

2) 5

4) 4


5. $\triangle ABC$ has coordinates $A(-2,8)$, $B(6,8)$, and $C(8,5)$. The coordinates of $\triangle XYZ$, the image of $\triangle ABC$ after a sequence of transformations is $X(1,2)$, $Y(7,2)$, and $Z(8,0)$. What is the scale factor?



6. In the diagram below, \overline{CD} is the image of \overline{AB} after a dilation of scale factor k with center E .

Which ratio is equal to the scale factor k of the dilation?


- 1) $\frac{EC}{EA}$
- 2) $\frac{BA}{EA}$
- 3) $\frac{EA}{BA}$
- 4) $\frac{EA}{EC}$



7. In the diagram below, $\triangle ABE$ is the image of $\triangle ACD$ after a dilation centered at the origin. The coordinates of the vertices are $A(0, 0)$, $B(3, 0)$, $C(4.5, 0)$, $D(0, 6)$, and $E(0, 4)$.

The scale factor of dilation is

- 1) $\frac{2}{3}$
- 2) $\frac{3}{2}$
- 3) $\frac{3}{4}$
- 4) $\frac{4}{3}$




Similar Triangles with Parallel Lines


Corresponding sides of similar triangles are in proportion. Put the corresponding sides on top of each other to create the proportion.

With parallel lines, the corresponding sides are diagonal from each other.


1. Parallelogram DEFG is similar to parallelogram XRKW. Find x.



2. In the diagram, $\triangle ABC$ is similar to $\triangle A'B'C'$, $AB = 24$, $BC = 30$, and $CA = 40$. If the shortest side of $\triangle A'B'C'$ is 6, find the length of the longest side of $\triangle A'B'C'$.




3. In the diagram below, $\overline{AB} \parallel \overline{DE}$. If $AC = 2$, $CD = 6$, and $CE = 3$, what is BC ?




4. In the diagram below, \overline{AD} intersects \overline{BE} at C , and $\overline{AB} \parallel \overline{DE}$.


If $CD = 6.6$ cm, $DE = 3.4$ cm, $CE = 4.2$ cm, and $BC = 5.25$ cm, what is the length of \overline{AC} , to the nearest hundredth of a centimeter?




5. In the diagram below, \overline{AF} and \overline{DB} intersect at C , and \overline{AD} and \overline{FBE} are drawn such that $m\angle D = 65^\circ$, $m\angle CBE = 115^\circ$, $DC = 7.2$, $AC = 9.6$, and $FC = 21.6$. What is the length of \overline{CB} ?



6. In the diagram below, $\overline{EF} \parallel \overline{HG}$, $EF = 5$, $HG = 12$, $FI = 1.4x + 3$, and $HI = 6.1x - 6.5$. What is the length of \overline{HI} ?



7. In trapezoid $ABCD$ below, $\overline{AB} \parallel \overline{CD}$.



If $AE = 5.2$, $AC = 11.7$, and $CD = 10.5$, what is the length of \overline{AB} , to the nearest tenth?
 1) 4.7 2) 6.5 3) 8.4 4) 13.1




Joining the Midpoints of a Triangle


The midsegments are half of the opposite parallel sides

$$2(\text{midsegment}) = \text{opposite side}$$


1. In the diagram below of $\triangle ACT$, D is the midpoint of \overline{AC} , O is the midpoint of \overline{AT} , and G is the midpoint of \overline{CT} . If $AC = 10$, $AT = 18$, and $CT = 22$, what is the perimeter of parallelogram $CDOG$?



2. In the diagram of $\triangle ABC$ shown below, D is the midpoint of \overline{AB} , E is the midpoint of \overline{BC} , and F is the midpoint of \overline{AC} . If $AB = 20$, $BC = 12$, and $AC = 16$, what is the perimeter of trapezoid $ABEF$?




3. D and E are midpoints of \overline{AB} and \overline{BC} respectively. If $\overline{AC} = x + 15$ and $\overline{DE} = x - 3$, find the measure of \overline{DE} .



4. In $\triangle ABC$, D is the midpoint of \overline{AB} and E is the midpoint of \overline{BC} . If $AC = 3x - 15$ and $DE = 6$, what is the value of x ?

- 1) 6
- 2) 7
- 3) 9
- 4) 12




5. In $\triangle ABC$, M is the midpoint of \overline{AB} and N is the midpoint of \overline{AC} . If $MN = x + 13$ and $BC = 5x - 1$, what is the length of MN ?

- 1) 3.5
- 2) 9
- 3) 16.5
- 4) 22

6. In the diagram of $\triangle UVW$ below, A is the midpoint of \overline{UV} , B is the midpoint of \overline{UW} , C is the midpoint of \overline{VW} , and \overline{AB} and \overline{AC} are drawn.

If $VW = 7x - 3$ and $AB = 3x + 1$, what is the length of \overline{VC} ?


- 1) 5
- 2) 13
- 3) 16
- 4) 32



7. In the diagram of equilateral triangle ABC shown below, E and F are the midpoints of \overline{AC} and \overline{BC} , respectively.

If $EF = 2x + 8$ and $AB = 7x - 2$, what is the perimeter of trapezoid $ABFE$?

- 1) 36
- 2) 60
- 3) 100
- 4) 120






Candy Corn Problems

If the bases are not involved: $\frac{top}{top} = \frac{bottom}{bottom} = \frac{side}{side}$


If bases are involved: separate your triangles!




1. In the diagram of $\triangle ADC$ below, $\overline{EB} \parallel \overline{DC}$, $AE = 9$, $ED = 5$, and $AB = 9.2$.

What is the length of \overline{AC} , to the nearest tenth?

- 1) 5.1
- 2) 5.2
- 3) 14.3
- 4) 14.4




2. In the diagram of $\triangle ABC$, points D and E are on \overline{AB} and \overline{CB} , respectively, such that $\overline{AC} \parallel \overline{DE}$.



If $AD = 24$, $DB = 12$, and $DE = 4$, what is the length of \overline{AC} ?

- 1) 8
- 2) 12
- 3) 16
- 4) 72


3. Given $\triangle MRO$ shown below, with trapezoid $PTRO$, $MR = 9$, $MP = 2$, and $PO = 4$.




What is the length of \overline{TR} ?

- | | |
|--------|------|
| 1) 4.5 | 3) 3 |
| 2) 5 | 4) 6 |

4. To find the distance across a pond from point B to point C , a surveyor drew the diagram below. The measurements he made are indicated on his diagram. Use the surveyor's information to determine and state the distance from point B to point C , to the *nearest yard*.




5. In the diagram below, triangle ACD has points B and E on sides \overline{AC} and \overline{AD} , respectively, such that $\overline{BE} \parallel \overline{CD}$, $AB = 1$, $BC = 3.5$, and $AD = 18$.




What is the length of \overline{AE} , to the *nearest tenth*?


6. In the diagram of $\triangle ABC$ shown below, $\overline{DE} \parallel \overline{BC}$. If $\overline{AE} = 6$, $\overline{DE} = 10$, and $\overline{AC} = 9$, find \overline{BC} .



7. In the diagram of $\triangle ABC$ below, \overline{DE} is parallel to \overline{AB} , $CD = 15$, $AD = 9$, and $AB = 40$. Find the length of \overline{DE} .




8. In the diagram below of $\triangle PQR$, \overline{ST} is drawn parallel to \overline{PR} , $PS = 2$, $SQ = 5$, and $TR = 5$. What is the length of \overline{QR} ?



9. In the diagram of $\triangle SRA$ below, \overline{KP} is drawn such that $\angle SKP \cong \angle SRA$.

If $SK = 10$, $SP = 8$, and $PA = 6$, what is the length of \overline{KR} , to the nearest tenth?


- 1) 4.8
- 2) 7.5
- 3) 8.0
- 4) 13.3



10. In triangle ABC below, D is a point on \overline{AB} and E is a point on \overline{AC} , such that $\overline{DE} \parallel \overline{BC}$.

If $AD = 12$, $DB = 8$, and $EC = 10$, what is the length of \overline{AC} ?


- 1) 15
- 2) 22
- 3) 24
- 4) 25



11. In the diagram below of $\triangle RST$, L is a point on \overline{RS} , and M is a point on \overline{RT} , such that $\overline{LM} \parallel \overline{ST}$.

If $RL = 2$, $LS = 6$, $LM = 4$, and $ST = x + 2$, what is the length of \overline{ST} ?


- 1) 10
- 2) 12
- 3) 14
- 4) 16



12. In the diagram below of $\triangle CER$, $\overline{LA} \parallel \overline{CR}$.

If $CL = 3.5$, $LE = 7.5$, and $EA = 9.5$, what is the length of \overline{AR} , to the nearest tenth?


- 1) 5.5
- 2) 4.4
- 3) 3.0
- 4) 2.8




Overlapping Similar Triangles

- 1) Separate the triangles and draw them with the same orientation
- 2) Match up the corresponding letters (use reflexive property)
- 3) Create a proportion and solve


1. In triangle SEB , A is on \overline{SB} , and E is on \overline{EB} so that $\angle E \cong \angle BAR$.
 If $\overline{SB} = 6$, $\overline{RB} = 2$, and $\overline{SE} = 3$, find \overline{RA} .




2. In triangle TOR , Y is on \overline{TR} , and D is on \overline{TO} so that $\angle TYD \cong \angle ROT$.
 If $\overline{TY} = 2$, $\overline{YR} = 6$, and $\overline{TD} = 4$, find \overline{TO} .




3. In $\triangle ABC$ shown below, $\angle ACB$ is a right angle, E is a point on \overline{AC} , and \overline{ED} is drawn perpendicular to hypotenuse \overline{AB} . If $AB = 9$, $BC = 6$, and $DE = 4$, what is the length of \overline{AE} ?



4. In triangle CHR , O is on \overline{HR} , and D is on \overline{CR} so that $\angle H \cong \angle RDO$. If $RD = 4$, $RO = 6$, and $OH = 4$, what is the length of \overline{CD} ?




5. In the diagram below of $\triangle ABC$, X and Y are points on \overline{AB} and \overline{AC} , respectively, such that $m\angle AXY = m\angle B$. If $AX = 2$, $AY = 5$, and $YC = 4$, find BX .



6. In $\triangle SCU$ shown below, points T and O are on \overline{SU} and \overline{CU} , respectively. Segment OT is drawn so that $\angle C \cong \angle OTU$.

If $TU = 4$, $OU = 5$, and $OC = 7$, what is the length of \overline{ST} ?





**When an altitude is drawn to a right triangle
HLLS and SAAS**

$$\frac{H}{L} = \frac{L}{S} \quad \frac{S}{A} = \frac{A}{S}$$

If L is involved, use HLLS


If A is involved, use SAAS

If they're both involved, use both! (usually HLLS first)


If you don't have enough information to do either, do $a^2 + b^2 = c^2$

Know how to reduce radicals:

- 1) Separate into perfect square and non perfect square
- 2) Take the square root of the perfect square



1. In the diagram below of right triangle ACB , altitude \overline{CD} is drawn to hypotenuse \overline{AB} .




If $AB = 36$ and $AC = 12$, what is the length of \overline{AD} ?

- 1) 32
- 2) 6
- 3) 3
- 4) 4


2. In the diagram below of right triangle ABC , altitude \overline{CD} is drawn to hypotenuse \overline{AB} .

If $AD = 3$ and $DB = 12$, what is the length of altitude \overline{CD} ?




- 1) 6
- 2) $6\sqrt{5}$
- 3) 3
- 4) $3\sqrt{5}$


3. If $\overline{AD} = 3$ and $\overline{DB} = 27$, find \overline{CD}




4. If $\overline{AD} = 2$ and $\overline{AB} = 18$, find \overline{BC} to the nearest tenth



5. In right triangle RST below, altitude \overline{SV} is drawn to hypotenuse \overline{RT} . If $RV = 4.1$ and $TV = 10.2$, what is the length of \overline{ST} , to the *nearest tenth*?



6. In right triangle PRT , $m\angle P = 90^\circ$, altitude \overline{PQ} is drawn to hypotenuse \overline{RT} , $RT = 17$, and $PR = 15$. Determine and state, to the *nearest tenth*, the length of \overline{RQ} .



7. Reduce the following radicals:

$$\sqrt{45}$$


$$\sqrt{50}$$

$$\sqrt{162}$$


8. Triangle ABC shown below is a right triangle with altitude \overline{AD} drawn to the hypotenuse \overline{BC} .

If $BD = 2$ and $DC = 10$, what is the length of \overline{AB} ?

- 1) $2\sqrt{2}$
- 2) $2\sqrt{5}$
- 3) $2\sqrt{6}$
- 4) $2\sqrt{30}$




9. In the diagram below of right triangle ABC , altitude \overline{BD} is drawn to hypotenuse \overline{AC} , $AC = 16$, and $CD = 7$.



What is the length of \overline{BD} ?

- 1) $3\sqrt{7}$
- 2) $4\sqrt{7}$
- 3) $7\sqrt{3}$
- 4) 12

10. In the diagram below of $\triangle ABC$, $\angle ABC$ is a right angle, $AC = 12$, $AD = 8$, and altitude \overline{BD} is drawn.




What is the length of \overline{BC} ?

- 1) $4\sqrt{2}$
- 2) $4\sqrt{3}$
- 3) $4\sqrt{5}$
- 4) $4\sqrt{6}$

11. In $\triangle RST$ shown below, altitude \overline{SU} is drawn to \overline{RT} at U .

If $SU = h$, $UT = 12$, and $RT = 42$, which value of h will make $\triangle RST$ a right triangle with $\angle RST$ as a right angle?


- 1) $6\sqrt{3}$
- 2) $6\sqrt{10}$
- 3) $6\sqrt{14}$
- 4) $6\sqrt{35}$



12. In the diagram of right triangle ABC , \overline{CD} intersects hypotenuse \overline{AB} at D .

If $AD = 4$ and $DB = 6$, which length of \overline{AC} makes $\overline{CD} \perp \overline{AB}$?

- 1) $2\sqrt{6}$
- 2) $2\sqrt{10}$
- 3) $2\sqrt{15}$
- 4) $4\sqrt{2}$




13. In right triangle RST , altitude \overline{TV} is drawn to hypotenuse \overline{RS} . If $RV = 12$ and $RT = 18$, what is the length of \overline{SV} ?

- 1) $6\sqrt{5}$
- 2) 15
- 3) $6\sqrt{6}$
- 4) 27


14. Line segment CD is the altitude drawn to hypotenuse \overline{EF} in right triangle ECF . If $EC = 10$ and $EF = 24$, then, to the nearest tenth, ED is

- 1) 4.2
- 2) 5.4
- 3) 15.5
- 4) 21.8


15. Altitude \overline{WR} is drawn to right triangle NWQ . If $\overline{QW} = 8$ and $\overline{NQ} = 16$, find \overline{WR} to the nearest tenth.



16. In the diagram below, $\triangle RST$ is a 3-4-5 right triangle. The altitude, h , to the hypotenuse has been drawn. Determine the length of h .



17. In the diagram below of right triangle EFG , altitude \overline{FH} intersects hypotenuse \overline{EG} at H . If $FH = 9$ and $EF = 15$, what is EG ?






Corresponding Parts of Congruent Triangles are Congruent

Redraw the shapes so it is more clear to see what parts correspond to each other

1. After a counterclockwise rotation about point X , scalene triangle ABC maps onto $\triangle RST$, as shown in the diagram below.




Which statement must be true?

- 1) $\angle A \cong \angle R$
- 2) $\angle A \cong \angle S$
- 3) $\overline{CB} \cong \overline{TR}$
- 4) $\overline{CA} \cong \overline{TS}$


2. In the diagram below, a sequence of rigid motions maps $ABCD$ onto $JKLM$.

Which of the following statements must be true?

- 1) $\angle L \cong \angle B$
- 2) $\angle A \cong \angle J$
- 3) $\overline{JK} \cong \overline{AC}$
- 4) $\overline{JM} \cong \overline{AB}$




3. In the diagram below of $\triangle ABC$ and $\triangle XYZ$, a sequence of rigid motions maps $\angle A$ onto $\angle X$, $\angle C$ onto $\angle Z$, and \overline{AC} onto \overline{XZ} . Determine and state whether $\overline{BC} \cong \overline{YZ}$. Explain why. Determine and state whether $\angle A \cong \angle Y$. Explain why.




4. The image of $\triangle ABC$ after a rotation of 90° clockwise about the origin is $\triangle DEF$, as shown below.

Which statement is true?

- 1) $\overline{BC} \cong \overline{DE}$
- 2) $\overline{AB} \cong \overline{DF}$
- 3) $\angle C \cong \angle E$
- 4) $\angle A \cong \angle D$




5. Triangle MNP is the image of triangle JKL after a 120° counterclockwise rotation about point Q . If the measure of angle L is 47° and the measure of angle N is 57° , determine the measure of angle M . Explain how you arrived at your answer.



6. In the diagram below, a sequence of rigid motions maps $ABCD$ onto $JKLM$.


If $m\angle A = 82^\circ$, $m\angle B = 104^\circ$, and $m\angle L = 121^\circ$, the measure of $\angle M$ is

- 1) 53°
- 2) 82°
- 3) 104°
- 4) 121°



7. In the diagram below, $\triangle ABC$ with sides 13, 15, and 16, is mapped onto $\triangle DEF$ after a clockwise rotation of 90° about point P .


If $DE = 2x - 1$, what is the value of x ?



8. In the diagram below, $\triangle CAR$ is mapped onto $\triangle BUS$ after a sequence of rigid motions.

If $AR = 3x + 4$, $RC = 5x - 10$, $CA = 2x + 6$, and $SB = 4x - 4$, what is the length of \overline{SB} ?

- 1) 6
- 2) 16
- 3) 20
- 4) 28





To determine if a proportion is correct

Look at the letters vertically and horizontally

One direction, the letters should correspond


Second direction, the letters should be in the same triangle

*It does not matter which direction does which

1. As shown in the diagram below, \overline{AB} and \overline{CD} intersect at E , and $\overline{AC} \parallel \overline{BD}$.


Given $\triangle AEC \sim \triangle BED$, which equation is true?

- 1) $\frac{CE}{DE} = \frac{EB}{EA}$
- 2) $\frac{AE}{BE} = \frac{AC}{BD}$
- 3) $\frac{EC}{AE} = \frac{BE}{ED}$
- 4) $\frac{ED}{EC} = \frac{AC}{BD}$



2. In the diagram below, $\triangle QRX \sim \triangle TUV$. Which of the following statements is *not* true?

- 1) $\frac{\overline{QR}}{\overline{TU}} = \frac{\overline{QX}}{\overline{TV}}$
- 2) $\frac{\angle X}{\angle V} = \frac{\angle Q}{\angle T}$
- 3) $\frac{\overline{RX}}{\overline{UV}} = \frac{\overline{VT}}{\overline{XQ}}$
- 4) $\frac{\overline{QX}}{\overline{QR}} = \frac{\overline{TV}}{\overline{TU}}$




3. Given that $\triangle DEF \sim \triangle HIJ$, which is the correct statement about their corresponding sides?

- 1) $\frac{\overline{EF}}{\overline{IJ}} = \frac{\overline{DE}}{\overline{HI}}$
- 2) $\frac{\overline{EF}}{\overline{HI}} = \frac{\overline{IJ}}{\overline{DE}}$
- 3) $\frac{\overline{DE}}{\overline{HJ}} = \frac{\overline{EF}}{\overline{HI}}$
- 4) $\frac{\overline{DE}}{\overline{JI}} = \frac{\overline{EF}}{\overline{HJ}}$

4. In the diagram below, $\triangle ABC \sim \triangle RST$.

Which statement is *not* true?

- 1) $\angle A \cong \angle R$
- 2) $\frac{AB}{RS} = \frac{BC}{ST}$
- 3) $\frac{AB}{BC} = \frac{ST}{RS}$
- 4) $\angle B \cong \angle S$




5. Scalene triangle ABC is similar to triangle DEF . Which statement is *false*?

- 1) $\frac{AB}{BC} = \frac{DE}{EF}$
- 2) $\frac{AC}{DF} = \frac{BC}{EF}$
- 3) $\angle ACB \cong \angle DFE$
- 4) $\angle ABC \cong \angle EDF$

6. Given right triangle ABC with a right angle at C , $m\angle B = 61^\circ$. Given right triangle RST with a right angle at T , $m\angle R = 29^\circ$.

Which proportion in relation to $\triangle ABC$ and $\triangle RST$ is *not* correct?


- 1) $\frac{AB}{RS} = \frac{RT}{AC}$
- 2) $\frac{BC}{ST} = \frac{AB}{RS}$
- 3) $\frac{BC}{ST} = \frac{AC}{RT}$
- 4) $\frac{AB}{AC} = \frac{RS}{RT}$



7. In the diagram below, $\triangle DEF$ is the image of $\triangle ABC$ after a clockwise rotation of 180° and a dilation where $AB = 3$, $BC = 5.5$, $AC = 4.5$, $DE = 6$, $FD = 9$, and $EF = 11$.

Which relationship must always be true?


- 1) $\frac{m\angle A}{m\angle D} = \frac{1}{2}$
- 2) $\frac{m\angle C}{m\angle F} = \frac{2}{1}$
- 3) $\frac{m\angle A}{m\angle C} = \frac{m\angle F}{m\angle D}$
- 4) $\frac{m\angle B}{m\angle E} = \frac{m\angle C}{m\angle F}$



8. In the diagram below of isosceles triangle AHE with the vertex angle at H , $\overline{CB} \perp \overline{AE}$ and $\overline{FD} \perp \overline{AE}$.

Which statement is always true?

- 1) $\frac{AH}{AC} = \frac{EH}{EF}$
- 2) $\frac{AC}{EF} = \frac{AB}{ED}$
- 3) $\frac{AB}{ED} = \frac{CB}{FE}$
- 4) $\frac{AD}{AB} = \frac{BE}{DE}$



Candy Corn Problems: Is the Proportion True?

Have a picture of the original problem and the triangles separated.


If bases are not involved, see if it satisfies $\frac{top}{top} = \frac{bottom}{bottom} = \frac{side}{side}$

If bases are involved, separate the triangles and follow the same procedure from previous lesson.

1. In the diagram below of $\triangle ACT$, \overleftrightarrow{ES} is drawn parallel to \overline{AT} such that E is on \overline{CA} and S is on \overline{CT} .

Which statement is always true?


- 1) $\frac{CE}{CA} = \frac{CS}{ST}$ 3) $\frac{CE}{EA} = \frac{CS}{ST}$
 2) $\frac{CE}{ES} = \frac{EA}{AT}$ 4) $\frac{CE}{ST} = \frac{EA}{CS}$



2. In $\triangle ABC$ below, \overline{DE} is drawn such that D and E are on \overline{AB} and \overline{AC} , respectively.


If $\overline{DE} \parallel \overline{BC}$, which equation will always be true?

- 1) $\frac{AD}{DE} = \frac{DB}{BC}$ 3) $\frac{AD}{BC} = \frac{DE}{DB}$
 2) $\frac{AD}{DE} = \frac{AB}{BC}$ 4) $\frac{AD}{BC} = \frac{DE}{AB}$



3. In the diagram of $\triangle ABC$ shown below, $\overline{DE} \parallel \overline{BC}$. Which of the following statements is *not* true?


- 1) $\frac{AD}{DE} = \frac{AB}{BC}$ 3) $\frac{AD}{AE} = \frac{DB}{AC}$
 2) $\frac{BC}{DE} = \frac{CA}{EA}$ 4) $\frac{DB}{EC} = \frac{AB}{AC}$



4. In the diagram below of right triangle AED , $\overline{BC} \parallel \overline{DE}$.

Which statement is always true?

- 1) $\frac{AC}{BC} = \frac{DE}{AE}$
 2) $\frac{AB}{AD} = \frac{BC}{DE}$
 3) $\frac{AC}{CE} = \frac{BC}{DE}$
 4) $\frac{DE}{BC} = \frac{DB}{AB}$



HLLS SAAS Problems: Is the Proportion True?

See if each proportion satisfies $\frac{H}{L} = \frac{L}{S}$ or $\frac{S}{A} = \frac{A}{S}$.


1. In right triangle RST below, altitude \overline{SV} is drawn to hypotenuse \overline{RT} . Which of the following proportions is true?

1) $\frac{\overline{RV}}{\overline{VS}} = \frac{\overline{VT}}{\overline{VS}}$

2) $\frac{\overline{RT}}{\overline{RS}} = \frac{\overline{RS}}{\overline{VT}}$

3) $\frac{\overline{RT}}{\overline{SV}} = \frac{\overline{SV}}{\overline{VT}}$

4) $\frac{\overline{RT}}{\overline{ST}} = \frac{\overline{ST}}{\overline{VT}}$




2. In right triangle RST below, altitude \overline{SU} is drawn to hypotenuse \overline{RT} . Which of the following proportions is *not* true?

1) $\frac{\overline{RU}}{\overline{SU}} = \frac{\overline{SU}}{\overline{UT}}$

2) $\frac{\overline{SU}}{\overline{RU}} = \frac{\overline{RU}}{\overline{UT}}$

3) $\frac{\overline{RT}}{\overline{RS}} = \frac{\overline{RS}}{\overline{RU}}$

4) $\frac{\overline{TR}}{\overline{ST}} = \frac{\overline{ST}}{\overline{UT}}$




3. In right triangle JKL below, altitude \overline{KM} is drawn to hypotenuse \overline{JL} . Which of the following proportions is *not* true?

1) $\frac{\overline{JL}}{\overline{JK}} = \frac{\overline{JK}}{\overline{JM}}$

2) $\frac{\overline{JM}}{\overline{KM}} = \frac{\overline{KM}}{\overline{ML}}$

3) $\frac{\overline{JL}}{\overline{KL}} = \frac{\overline{KL}}{\overline{JM}}$

4) $\frac{\overline{ML}}{\overline{MK}} = \frac{\overline{MK}}{\overline{MJ}}$



To show triangles are similar:

The ANGLES of similar triangles are congruent

The SIDES of similar triangles are in proportion


1) AA (2 pairs of corresponding angles are congruent)

2) SAS (2 pairs of corresponding sides are in proportion and the corresponding angles between them are congruent)


3) SSS (3 pairs of corresponding sides are in proportion)

*Congruent triangles must be similar. Similar triangles are not necessarily congruent.


1. Determine whether the following triangles are similar. Explain your answer.



2. Triangles RST and XYZ are drawn below. If $RS = 6$, $ST = 14$, $XY = 9$, $YZ = 21$, and $\angle S \cong \angle Y$, is $\triangle RST$ similar to $\triangle XYZ$? Justify your answer.



3. In the diagram below, $\overline{AR} = 18$, $\overline{RF} = 15$, $\overline{DO} = 12$, $\overline{OG} = 10$, and $\angle RAF \cong \angle ODG$. Must $\triangle ARF \sim \triangle DOG$? Explain your answer.




4. In the diagram below, $\angle GRS \cong \angle ART$, $GR = 36$, $SR = 45$, $AR = 15$, and $RT = 18$. Which triangle similarity statement is correct?

1) $\triangle GRS \sim \triangle ART$ by AA.





3) $\triangle GRS \sim \triangle ART$ by SSS.

2) $\triangle GRS \sim \triangle ART$ by SAS.


4) $\triangle GRS$ is not similar to $\triangle ART$.



5. Using the information given below, which set of triangles can *not* be proven similar?




6. In $\triangle ADC$ below, \overline{EB} is drawn such that $AB = 4.1$, $AE = 5.6$, $BC = 8.22$, and $ED = 3.42$. Is $\triangle ABE$ similar to $\triangle ADC$? Explain why.



7. In the diagram below, $\triangle ABC \sim \triangle DEF$.

If $AB = 6$ and $AC = 8$, which statement will justify similarity by SAS?


- 1) $DE = 9$, $DF = 12$, and $\angle A \cong \angle D$
- 2) $DE = 8$, $DF = 10$, and $\angle A \cong \angle D$
- 3) $DE = 36$, $DF = 64$, and $\angle C \cong \angle F$
- 4) $DE = 15$, $DF = 20$, and $\angle C \cong \angle F$




8. In the diagram below, $AC = 7.2$ and $CE = 2.4$.

Which statement is *not* sufficient to prove $\triangle ABC \sim \triangle EDC$?

- | | |
|--|--|
| 1) $\overline{AB} \parallel \overline{ED}$ | 3) $CD = 3.6$ and $BC = 10.8$ |
| 2) $DE = 2.7$ and $AB = 8.1$ | 4) $DE = 3.0$, $AB = 9.0$, $CD = 2.9$, and $BC = 8.7$ |



9. Skye says that the two triangles below are congruent. Margaret says that the two triangles are similar. Are Skye and Margaret both correct? Explain why.



10. In $\triangle ABC$, $AB = 5$, $AC = 12$, and $m\angle A = 90^\circ$. In $\triangle DEF$, $m\angle D = 90^\circ$, $DF = 12$, and $EF = 13$. Brett claims $\triangle ABC \cong \triangle DEF$ and $\triangle ABC \sim \triangle DEF$. Is Brett correct? Explain why.

11. If $\triangle ABC$ is mapped onto $\triangle DEF$ after a line reflection and $\triangle DEF$ is mapped onto $\triangle XYZ$ after a translation, the relationship between $\triangle ABC$ and $\triangle XYZ$ is that they are always


- 1) congruent and similar
- 2) congruent but not similar
- 3) similar but not congruent
- 4) neither similar nor congruent



Trigonometric Ratios (SOHCAHTOA)

1) Label each side with H, A, and O

2) Use SOHCAHTOA ($\sin \theta = \frac{O}{H}$, $\cos \theta = \frac{A}{H}$, $\tan \theta = \frac{O}{A}$)



1. Find the following trig ratios for the given triangle.

$\sin A$


$\cos A$

$\tan A$

$\sin B$

$\cos B$

$\tan B$



2. Find the following trig ratios for the given triangle.

$\sin J$


$\cos J$

$\tan J$


$\sin L$

$\cos L$

$\tan L$



3. In $\triangle ABC$ below, the measure of $\angle A = 90^\circ$, $AB = 6$, $AC = 8$, and $BC = 10$.



Which ratio represents the cosine of $\angle B$?


- 1) $\frac{10}{8}$
- 2) $\frac{8}{6}$
- 3) $\frac{6}{10}$
- 4) $\frac{8}{10}$

4. In triangle MCT , the measure of $\angle T = 90^\circ$, $MC = 85$ cm, $CT = 84$ cm, and $TM = 13$ cm. Which ratio represents the sine of $\angle C$?

- | | |
|--------------------|--------------------|
| 1) $\frac{13}{85}$ | 3) $\frac{13}{84}$ |
| 2) $\frac{84}{85}$ | 4) $\frac{84}{13}$ |

5. Which equation shows a correct trigonometric ratio for angle A in the right triangle below?


- 1) $\sin A = \frac{15}{17}$
- 2) $\tan A = \frac{8}{17}$
- 3) $\cos A = \frac{15}{17}$
- 4) $\tan A = \frac{5}{8}$



6. In right triangle JKL in the diagram below, $KL = 7$, $JK = 24$, $JL = 25$, and $\angle K = 90^\circ$.

Which statement is *not* true?

- 1) $\tan L = \frac{24}{7}$
- 2) $\cos L = \frac{24}{25}$
- 3) $\tan J = \frac{7}{24}$
- 4) $\sin J = \frac{7}{25}$









Finding Sides and Angles with Trig

- 1) Label each side with H, A, and O
 - 2) Determine whether to use sine, cosine, or tangent (Which two are involved?)
 - 3) Substitute into appropriate formula
- *If finding a side, cross multiply and solve
*If finding an angle, use \sin^{-1} , \cos^{-1} , or \tan^{-1}




Find x in each of the following pictures rounding to the *nearest integer*



5. As shown in the diagram below, a ladder 12 feet long leans against a wall and makes an angle of 72° with the ground.


Find, to the *nearest tenth of a foot*, the distance from the wall to the base of the ladder.




6. The diagram below shows the path a bird flies from the top of a 9.5-foot-tall sunflower to a point on the ground 5 feet from the base of the sunflower.

To the *nearest tenth of a degree*, what is the measure of angle x ?

- 1) 27.8
- 2) 31.8
- 3) 58.2
- 4) 62.2




7. From the top of an apartment building, the angle of depression to a car parked on the street below is 38 degrees, as shown in the diagram below. The car is parked 80 feet from the base of the building. Find the height of the building, to the *nearest tenth of a foot*.




8. As shown in the diagram below, a building casts a 72-foot shadow on the ground when the angle of elevation of the Sun is 40° .

How tall is the building, to the *nearest foot*?


- 1) 46
- 2) 60
- 3) 86
- 4) 94



9. A carpenter leans an extension ladder against a house to reach the bottom of a window 30 feet above the ground. As shown in the diagram below, the ladder makes a 70° angle with the ground. To the *nearest foot*, determine and state the length of the ladder.




10. In the diagram of right triangle ABC shown below, $AB = 14$ and $AC = 9$. What is the measure of $\angle A$, to the *nearest degree*?



11. A 28-foot ladder is leaning against a house. The bottom of the ladder is 6 feet from the base of the house. Find the measure of the angle formed by the ladder and the ground, to the *nearest degree*.


12. Bob places an 18-foot ladder 6 feet from the base of his house and leans it up against the side of his house. Find, to the *nearest degree*, the measure of the angle the bottom of the ladder makes with the ground.



Compound Right Triangle Problems: Subtraction


Procedure 1: Subtraction: Find corresponding parts of the two triangles and subtract them.

1. In the diagram below, $m\angle CAD = 35$, $m\angle ABD = 42$, and $m\overline{AD} = 60$. Find to the nearest tenth, $m\overline{BC}$.




2. As shown in the diagram below, a ship is heading directly toward a lighthouse whose beacon is 125 feet above sea level. At the first sighting, point A , the angle of elevation from the ship to the light was 7° . A short time later, at point D , the angle of elevation was 16° .


To the *nearest foot*, determine and state how far the ship traveled from point A to point D .




3. As modeled below, a projector mounted on a ceiling is 3.74 m from a wall, where a whiteboard is displayed. The vertical distance from the ceiling to the top of the whiteboard is 0.41 m, and the height of the whiteboard is 1.17 m. Determine and state the projection angle, θ , to the *nearest tenth of a degree*.




4. As modeled below, a movie is projected onto a large outdoor screen. The bottom of the 60-foot-tall screen is 12 feet off the ground. The projector sits on the ground at a horizontal distance of 75 feet from the screen. Determine and state, to the *nearest tenth of a degree*, the measure of θ , the projection angle.




5. Cape Canaveral, Florida is where NASA launches rockets into space. As modeled in the diagram below, a person views the launch of a rocket from observation area A , 3280 feet away from launch pad B . After launch, the rocket was sighted at C with an angle of elevation of 15° . The rocket was later sighted at D with an angle of elevation of 31° . Determine and state, to the *nearest foot*, the distance the rocket traveled between the two sightings, C and D .



6. Find the measure of $\angle KXN$ below the *nearest degree*.



7. Nick wanted to determine the length of one blade of the windmill pictured below. He stood at a point on the ground 440 feet from the windmill's base. Using surveyor's tools, Nick measured the angle between the ground and the highest point reached by the top blade and found it was 38.8° . He also measured the angle between the ground and the lowest point of the top blade, and found it was 30° . Determine and state a blade's length, x , to the nearest foot.







Compound Right Triangle Problems: Reflexive

Procedure 2: Reflexive: Find a side/angle that's in both triangles. Use that new side/angle to find what you are looking for.


1. The map of a campground is shown below. Campsite C , first aid station F , and supply station S lie along a straight path. The path from the supply station to the tower, T , is perpendicular to the path from the supply station to the campsite. The length of path \overline{FS} is 400 feet. The angle formed by path \overline{TF} and path \overline{FS} is 72° . The angle formed by path \overline{TC} and path \overline{CS} is 55° . Determine and state, to the nearest foot, the distance from the campsite to the tower.




2. Find the measure of $\angle TCA$ in the diagram of right triangle TAO below to the nearest tenth of a degree.



3. Find the measure of \overline{OW} in the diagram of right triangle MEW below to the nearest unit.




4. As modeled in the diagram below, a building has a height of 50 meters. The angle of depression from the top of the building to the top of the tree, T , is 13.3° . The angle of depression from the top of the building to the bottom of the tree, B , is 22.2° . Determine and state, to the nearest meter, the height of the tree.




Compound Right Triangle Problems: Other

Problem Solve using SOHCAHTOA and/or Pythagorean Theorem


1. As modeled in the diagram below, an access ramp starts on flat ground and ends at the beginning of the top step. Each step is 6 inches tall and 8 inches deep. If the angle of elevation of the ramp is 4.76° , determine and state the length of the ramp, to the *nearest tenth of a foot*. Determine and state, to the *nearest tenth of a foot*, the horizontal distance, d , from the bottom of the stairs to the bottom of the ramp.




2. A homeowner is building three steps leading to a deck, as modeled by the diagram below. All three step rises, \overline{HA} , \overline{FG} , and \overline{DE} , are congruent, and all three step runs, \overline{HG} , \overline{FE} , and \overline{DC} , are congruent. Each step rise is perpendicular to the step run it joins. The measure of $\angle CAB = 36^\circ$ and $\angle CBA = 90^\circ$. If each step run is parallel to \overline{AB} and has a length of 10 inches, determine and state the length of each step rise, to the *nearest tenth of an inch*. Determine and state the length of \overline{AC} , to the *nearest inch*.



3. Barry wants to find the height of a tree that is modeled in the diagram below, where $\angle C$ is a right angle. The angle of elevation from point A on the ground to the top of the tree, H , is 40° . The angle of elevation from point B on the ground to the top of the tree, H , is 80° . The distance between points A and B is 85 feet. Barry claims that $\triangle ABH$ is isosceles. Explain why Barry is correct. Determine and state, to the *nearest foot*, the height of the tree.



4. David has just finished building his treehouse and still needs to buy a ladder to be attached to the ledge of the treehouse and anchored at a point on the ground, as modeled below. David is standing 1.3 meters from the stilt supporting the treehouse. This is the point on the ground where he has decided to anchor the ladder. The angle of elevation from his eye level to the bottom of the treehouse is 56 degrees. David's eye level is 1.5 meters above the ground. Determine and state the minimum length of a ladder, to the *nearest tenth of a meter*, that David will need to buy for his treehouse.





Acute Angles in a Right Triangle

$\sin A = \cos B$: In a right triangle, the sine of one acute angle is equal to the cosine of the other acute angle


$A + B = 90$: The two acute angles in a right triangle are complementary



1. In scalene triangle ABC shown in the diagram below, $m\angle C = 90^\circ$.

Which equation is always true?

- 1) $\sin A = \sin B$
- 2) $\cos A = \cos B$
- 3) $\cos A = \sin C$
- 4) $\sin A = \cos B$



2. Right triangle TMR is a scalene triangle with the right angle at M . Which equation is true?

- 1) $\sin M = \cos T$
- 2) $\sin R = \cos R$
- 3) $\sin T = \cos R$
- 4) $\sin T = \cos M$

3. Right triangle ACT has $m\angle A = 90^\circ$. Which expression is always equivalent to $\cos T$?

- 1) $\cos C$
- 2) $\sin C$
- 3) $\tan T$
- 4) $\sin T$

4. In right triangle ABC , $m\angle C = 90^\circ$. If $\cos B = \frac{5}{13}$, which function also equals $\frac{5}{13}$?

- 1) $\tan A$
- 2) $\tan B$
- 3) $\sin A$
- 4) $\sin B$

5. In right triangle ABC , $m\angle C = 90^\circ$ and $AC \neq BC$. Which trigonometric ratio is equivalent to $\sin B$?

- 1) $\cos A$
- 2) $\cos B$
- 3) $\tan A$
- 4) $\tan B$

6. In right triangle ABC with the right angle at C , $\sin A = 2x + 0.1$ and $\cos B = 4x - 0.7$. Determine and state the value of x . Explain your answer.

7. If $\sin(3x + 2)^\circ = \cos(4x - 10)^\circ$, what is the value of x to the nearest tenth?
(1) 7.6 (2) 12.0 (3) 14.0 (4) 26.9

8. If $\sin(2x + 7)^\circ = \cos(4x - 7)^\circ$, what is the value of x ?
1) 7
2) 15
3) 21
4) 30

9. In a right triangle, $\sin(40 - x)^\circ = \cos(3x)^\circ$. What is the value of x ?
1) 10 3) 20
2) 15 4) 25

10. In a right triangle, the acute angles have the relationship $\sin(2x + 4) = \cos(46)$. What is the value of x ?
1) 20
2) 21
3) 24
4) 25

11. Which expression is always equivalent to $\sin x$ when $0^\circ < x < 90^\circ$?
1) $\cos(90^\circ - x)$
2) $\cos(45^\circ - x)$
3) $\cos(2x)$
4) $\cos x$

12. Which of the following is equivalent to $\sin 40$?
1) $\sin 50$ 2) $\cos 50$ 3) $\cos 40$ 4) $\tan 50$

13. Which of the following is equivalent to $\cos 57$?
1) $\sin 57$ 2) $\sin 33$ 3) $\cos 33$ 4) $\cos 123$

14. Which expression is equal to $\sin 30^\circ$?
1) $\tan 30^\circ$ 3) $\cos 60^\circ$
2) $\sin 60^\circ$ 4) $\cos 30^\circ$




Trigonometry with Similar Triangles

Draw your own triangles separately!

Match up the corresponding angles and apply trigonometry rules from there.

1. In the diagram below, $\triangle DOG \sim \triangle CAT$, where $\angle G$ and $\angle T$ are right angles.




Which expression is always equivalent to $\sin D$?

- 1) $\cos A$
- 2) $\sin A$
- 3) $\tan A$
- 4) $\cos C$

2. If scalene triangle XYZ is similar to triangle QRS and $m\angle X = 90^\circ$, which equation is always true?

- 1) $\sin Y = \sin S$
- 2) $\cos R = \cos Z$
- 3) $\cos Y = \sin Q$
- 4) $\sin R = \cos Z$

3. In the diagram below, right triangle PQR is transformed by a sequence of rigid motions that maps it onto right triangle NML . What ratio is equal to $\cos L$?




- 1) $\sin R$
- 2) $\cos R$
- 3) $\sin P$
- 4) $\cos P$

4. Given right triangle ABC with a right angle at C , $m\angle B = 61^\circ$. Given right triangle RST with a right angle at T , $m\angle R = 29^\circ$.


Which of the following statements is true?

- 1) $\sin A = \cos C$
- 2) $\sin B = \cos R$
- 3) $\sin S = \cos B$
- 4) $\sin C = \cos T$



5. In the diagram below of $\triangle HAR$ and $\triangle NTY$, angles H and N are right angles, and $\triangle HAR \sim \triangle NTY$. If $AR = 13$ and $HR = 12$, what is the measure of angle Y , to the nearest degree?


- 1) 23°
- 2) 25°
- 3) 65°
- 4) 67°



6. Kayla was cutting right triangles from wood to use for an art project. Two of the right triangles she cut are shown below.

If $\triangle ABC \sim \triangle DEF$, with right angles B and E , $BC = 15$ cm, and $AC = 17$ cm, what is the measure of $\angle F$, to the nearest degree?

- 1) 28°
- 2) 41°
- 3) 62°
- 4) 88°



7. Scalene triangle XYZ is similar to triangle QRS and $m\angle X = 90^\circ$. If $\overline{XY} = 10$ and $\overline{ZY} = 15$, find the measure of $\angle S$ to the nearest tenth of a degree.



Cross Sections (2 dimensional slice of a 3 dimensional object):

The base of the shape is always one of its cross sections

Rectangular Prism: Rectangle, triangle

Cylinder: Circle, ellipse, rectangle

Cone: Circle, ellipse, triangle, "curved" rectangle

Pyramid: Rectangle, triangle

Sphere: Circle



1. Which type of shape can represent a two-dimensional cross-section of a sphere?


- (1) circular
- (2) triangular
- (3) square
- (4) rectangular

2. Which is *not* a possible two-dimensional cross section of a three-dimensional cylinder?

- (1) circle
- (2) rectangle
- (3) ellipes
- (4) triangle

3.

William is drawing pictures of cross sections of the right circular cone below.



Which drawing can *not* be a cross section of a cone?



(1)



(3)



(2)



(4)

4. A plane intersects a cylinder perpendicular to its bases.

This cross section can be described as a


- 1) rectangle
- 2) parabola
- 3) triangle
- 4) circle



5. A right hexagonal prism is shown below. A two-dimensional cross section that is perpendicular to the base is taken from the prism.

Which figure describes the two-dimensional cross section?


- 1) triangle
- 2) rectangle
- 3) pentagon
- 4) hexagon







6. In the diagram below, a plane intersects a square pyramid parallel to its base.

Which two-dimensional shape describes this cross section?

- 1) circle
- 2) square
- 3) triangle
- 4) pentagon



7. Which figure can have the same cross section as a sphere?

- 1) 
- 2) 
- 3) 
- 4) 

8. A plane intersects a hexagonal prism. The plane is perpendicular to the base of the prism. Which two-dimensional figure is the cross section of the plane intersecting the prism?

- 1) triangle
- 2) trapezoid
- 3) hexagon
- 4) rectangle

9. The cross section of a regular pyramid contains the altitude of the pyramid. The shape of this cross section is a

- 1) circle
- 2) square
- 3) triangle
- 4) rectangle



Volume

Volume = (Area of the base)(height), if it comes to a point, multiply by $\frac{1}{3}$.

Area of the base is USUALLY $A = lw$ (rectangle/square) or $A = \pi r^2$ (circle)

Most volume formulas are on the reference sheet. Be careful. B = area of the base

General Prism: $V = (\text{area base})(\text{height})$

Rectangular prism: $V = lwh$

Triangular prism: $V = \frac{1}{2}lwh$

Cylinder: $V = \pi r^2 h$

Pyramid: $V = \frac{1}{3}lwh$

Cone: $V = \frac{1}{3}\pi r^2 h$

Sphere: $V = \frac{4}{3}\pi r^3$




1. What is the volume of a rectangular prism whose length is 4 cm, width is 6 cm, and height is 5 cm?


2. What is the volume of a cube if each side of the cube measures 8 in?

Find the volume of the following triangular prisms


3.




4.



5.



6.



7. A cylinder has a diameter of 10 inches and a height of 2.3 inches. What is the volume of this cylinder, to the *nearest tenth of a cubic inch*?


8. What is the volume of a cylinder whose height is 12 inches and whose diameter is 20 inches in terms of π ?

9. Find the volume of a sphere that has a diameter of 12 inches in terms of π .

10. Find the volume of the object below if the diameter is 18.2 meters. Round your answer to the *nearest cubic meter*.




11. A regular pyramid has a square base with an edge length of 14 cm and an altitude of 24 cm. Find its volume.




12. Find the volume of a square pyramid with a base with edge length 4 inches and a height of 18 inches.

13. As shown in the diagram below, a regular pyramid has a square base whose side measures 6 inches. If the altitude of the pyramid measures 12 inches, find its volume.



14. A child's tent can be modeled as a pyramid with a square base whose sides measure 60 inches and whose height measures 84 inches. What is the volume of the tent, to the nearest cubic inch?


15. A candle in the shape of a right pyramid is modeled below. Each side of the square base measures 12 centimeters. The slant height of the pyramid measures 16 centimeters. Determine and state the volume of the candle, to the *nearest cubic centimeter*.



16. In the diagram below, a right circular cone has a diameter of 8 inches and a height of 12 inches.


What is the volume of the cone to the *nearest cubic inch*?

- 1) 201 3) 603
- 2) 481 4) 804




17. Find the volume of a cone with a height of 12 in and a diameter of 8 in in terms of π .


18. Determine and state the volume of the cone, in terms of π .




19. A cone has a base with a diameter of 4 and a slant height of 7. Find its volume rounded to the *nearest tenth*.



20. In the diagram below, a cone has a diameter of 16 inches and a slant height of 17 inches. What is the volume of the cone, in terms of π , in cubic inches?



21. In the diagram below, a right circular cone has a diameter of 8 and a slant height of 7. Find the volume of the cone rounded to the *nearest tenth*.



Density/Population Density

$$\text{Density} = \frac{\text{Mass}}{\text{Volume}}$$

$$\text{Population Density} = \frac{\text{Population}}{\text{Area}}$$



1. Farmer John has a farm with a chicken pen in it. The chicken pen is rectangular measuring 5 yards by 7 yards. If there are 48 chickens in the pen, what is the population density to the nearest tenth of a chicken?

2. Jennifer is having her Sweet 16 party on a giant circular patio that has a radius of 7.2 meters. If there are 83 people at the party, to the nearest tenth, what is the population density?

3. For a music festival, a stage was built in the shape of a right triangle whose sides measure 6 yards, 8 yards, and 10 yards. At the end of the concert, all of the performers came out and performed together. There were a total of 62 performers on the stage. To the nearest tenth of a person, what was the population density on the stage?

4. Town A has an area of 12 square miles. Town B has an area of 10 square miles. If town A has a population of 8,198 people and town B has a population of 7,384 people, which town has a greater population density? Justify your answer.

5. A brick that weighs 1824 grams has dimensions that measure 4 cm by 3 cm by 8 cm. To the nearest tenth, what is the density of the brick?

6. A cylindrical candleholder has a diameter of 4.5 cm and a height of 20 cm. If the candleholder has a mass of 2900 g, rounded to the nearest whole number, what is its density?

7. What is the density of a solid sphere of clay that has a diameter of 3.2 inches and has a mass of 552 grams? Round your answer to the nearest tenth.

8. A wooden cube has an edge length of 6 centimeters and a mass of 137.8 grams. Determine the density of the cube, to the *nearest thousandth*. State which type of wood the cube is made of, using the density table below.

Type of Wood	Density (g/cm ³)
Pine	0.373
Hemlock	0.431
Elm	0.554
Birch	0.601
Ash	0.638
Maple	0.676
Oak	0.711



Compound and Displaced Volume

Compound Volume: If a shape is made up of multiple shapes on top of each other, find the volume of each and add them together.

Displaced Volume (Hollow): If a shape is being taken out of a bigger shape, find the volume of each and subtract them.

*If given thickness, draw a cross section and subtract double the thickness from each dimension.




Find the volume of each of the following shapes and round to the *nearest tenth* if necessary.


1.




2.



3. A solid metal prism has a rectangular base with sides of 4 inches and 6 inches, and a height of 4 inches. A hole in the shape of a cylinder, with a radius of 1 inch, is drilled through the entire length of the rectangular prism. What is the volume of the remaining solid, to the nearest cubic inch?




4. A piece of hardware is constructed by drilling a cylindrical hole through a right prism with a square base that measures 20 mm on each side. The hole is 35 mm long, as shown in the diagram. Determine the volume of the remaining material once the hole has been drilled. Round your answer to the nearest cubic millimeter.



5. A box tube is to be constructed out of 1 cm thick metal that has a width of 10 cm, a height of 6 cm, and a depth of 15 cm. Which of the following represents the volume of the metal used?

- (1) 420 cm^3 (3) 640 cm^3
 (2) 540 cm^3 (4) 760 cm^3



6. The paper towel roll shown below has a diameter of 8 inches and the paper has a thickness of 3 inches. If the height of the paper towel roll is 12 inches, what is the volume of the paper towels? Round your answer to the nearest tenth of a cubic inch.



7. A hollow metal pipe is in the shape of a rectangular prism that has a height of 12 cm. The length is 5 cm and the width is 2 cm. If the thickness is 0.5 cm all the way around, what is the volume of the metal?






Volume with Algebra

Substitute into appropriate volume formula

Solve the equation

*To get rid of a fraction, multiply by the denominator

*To get rid of cubed, take the cubed root (final step)




1. A brick in the shape of a rectangular prism has a base that measures 3 inches by 5 inches. If the volume of the brick is 90 cubic inches, what is the height of the brick?

2. A right circular cylinder has a volume of 1,000 cubic inches and a height of 8 inches. What is the radius of the cylinder to the *nearest tenth of an inch*?

3. The base of a pyramid is a rectangle with a width of 6 cm and a length of 8 cm. Find, in centimeters, the height of the pyramid if the volume is 288 cm^3 .

4. Find the radius of a sphere with a volume of 576π cubic units. Find the answer to the *nearest tenth of a unit*. _____



5. The volume of a cylinder is $12,566.4 \text{ cm}^3$. The height of the cylinder is 8 cm. Find the radius of the cylinder to the *nearest tenth of a centimeter*.

6. A rectangular shipping box must have a length of 11 inches and a width of 8 inches. Find, to the *nearest tenth of an inch*, the height of the box such that the volume is 800 cubic inches.

7. If the volume of a sphere is 36π , what is the radius of the sphere?
(1) 3 (2) 6 (3) 12 (4) 24

8. Find the length of the radius of a cylinder to the *nearest tenth* if it has a volume of 60 cm^3 and a height of 10 cm.

9. The volume of a triangular prism is 70 in^3 . The base of the prism is a right triangle with one leg whose measure is 5 inches. If the height of the prism is 4 inches, determine and state the length, in inches, of the other leg of the triangle.




3 dimensional rotations ALMOST ALWAYS form a cylinder or cone

Reflect the shape in 2 dimensions and connect the images with curves

1. Which object is formed when right triangle RST shown below is rotated around leg \overline{RS} ?

- 1) a pyramid with a square base
- 2) an isosceles triangle
- 3) a right triangle
- 4) a cone




2. If the rectangle below is continuously rotated about side w , which solid figure is formed?

- 1) pyramid
- 2) rectangular prism
- 3) cone
- 4) cylinder



3. If you rotated the shaded figure below about line m , which solid would result from the revolution?




4. If you rotated the triangular region of the figure below about line m , what solid would result from the revolution?



5. Circle O is centered at the origin. In the diagram below, a quarter of circle O is graphed.

Which three-dimensional figure is generated when the quarter circle is continuously rotated about the y -axis?

- 1) cone
- 2) sphere
- 3) cylinder
- 4) hemisphere



6. If an equilateral triangle is continuously rotated around one of its medians, which 3-dimensional object is generated?


- 1) cone
- 2) pyramid
- 3) prism
- 4) sphere

7. A student has a rectangular postcard that he folds in half lengthwise. Next, he rotates it continuously about the folded edge. Which three-dimensional object below is generated by this rotation?


1)




3)



2)



4)



8. An isosceles right triangle whose legs measure 6 is continuously rotated about one of its legs to form a three-dimensional object. The three-dimensional object is a

- 1) cylinder with a diameter of 6
- 2) cylinder with a diameter of 12
- 3) cone with a diameter of 6
- 4) cone with a diameter of 12


9. Which three-dimensional figure will result when a rectangle 6 inches long and 5 inches wide is continuously rotated about the longer side?

- 1) a rectangular prism with a length of 6 inches, width of 6 inches, and height of 5 inches
- 2) a rectangular prism with a length of 6 inches, width of 5 inches, and height of 5 inches
- 3) a cylinder with a radius of 5 inches and a height of 6 inches
- 4) a cylinder with a radius of 6 inches and a height of 5 inches


10. Square *MATH* has a side length of 7 inches. Which three-dimensional object will be formed by continuously rotating square *MATH* around side \overline{AT} ?

- 1) a right cone with a base diameter of 7 inches
- 2) a right cylinder with a diameter of 7 inches
- 3) a right cone with a base radius of 7 inches
- 4) a right cylinder with a radius of 7 inches

11. In right triangle MTH shown below, $m\angle H = 90^\circ$, $HT = 8$, and $HM = 5$. Determine and state, to the nearest tenth, the volume of the three-dimensional solid formed by rotating $\triangle MTH$ continuously around \overline{MH} .




12. In the diagram below, right triangle ABC has legs whose lengths are 4 and 6. What is the volume, in terms of π , of the three-dimensional object formed by continuously rotating the right triangle around \overline{AB} ?



13. In the rectangle below, $\overline{UN} = 8\text{ in}$ and $\overline{KN} = 3\text{ in}$. Find the volume of the three dimensional object created by rotating rectangle FUNK continuously about side \overline{FK} in terms of π .



14. In the diagram of right triangle ABC shown below, $AB = 14$ and $AC = 9$. What is the volume of the three dimensional object formed when the triangle is continuously rotated about side \overline{BC} to the nearest tenth.



CONVERSIONS

1 inch = 2.54 centimeters
1 meter = 39.37 inches
1 mile = 5280 feet
1 mile = 1760 yards
1 mile = 1.609 kilometers

1 kilometer = 0.62 mile
1 pound = 16 ounces
1 pound = 0.454 kilograms
1 kilogram = 2.2 pounds
1 ton = 2000 pounds

1 cup = 8 fluid ounces
1 pint = 2 cups
1 quart = 2 pints
1 gallon = 4 quarts
1 gallon = 3.785 liters
1 liter = 0.264 gallon
1 liter = 1000 cubic centimeters

Conversions

-Write the unit you are starting with

-Make a fraction:

Put the unit you are canceling on bottom

Put the unit you are changing to on top

Convert the following units and round to the *nearest tenth* if necessary

1. 750 meter to kilometer

2. 1.2 kilometer to meter



3. 220 centimeter to meter

4. 3.45 meter to centimeter

5. 45 minutes to hours

6. 1.2 hours to minutes

7. 1.6 inches to centimeter

8. 3.2 centimeter to inches

9. 6.2 miles to feet

10. 5000 feet to miles


11. What is the volume, to the *nearest cubic foot*, of a rectangular prism that is 2.4 feet high, 3.2 feet wide, and 9 inches long?

12. What is the volume of a cylinder, to the *nearest tenth of a cubic meter*, whose radius is 1200 meters and height is 0.8 kilometers?

13. A child's tent can be modeled as a pyramid with a square base whose sides measure 60 inches and whose height measures 84 inches. What is the volume of the tent, to the *nearest cubic foot*?

14. A rectangular table top has a length of 4.2 feet, a width of 7.1 feet, and a thickness of 3 inches. What is the volume of the rectangular table top to the *nearest cubic foot*?

15. A fabricator is hired to make a 27-foot-long solid metal railing for the stairs at the local library. The railing is modeled by the diagram below. The railing is 2.5 inches high and 2.5 inches wide and is comprised of a rectangular prism and a half-cylinder. How much metal, to the *nearest cubic inch*, will the railing contain?





Unit Analysis

Start with volume!

Example, a volume of 12 cubic inches has a density of $7.6 \text{ g}/\text{in}^3$, which costs \$1.25 per kilogram, and 50 are needed that are each filled up to 85%:

$$12 \text{ in}^3 \cdot \frac{7.6 \text{ g}}{1 \text{ in}^3} \cdot \frac{1 \text{ kg}}{1000 \text{ g}} \cdot \frac{\$1.25}{1 \text{ kg}} \cdot 50 \cdot .85$$

$$1000 \text{ mm} = 1 \text{ m}$$

$$100 \text{ cm} = 1 \text{ m}$$

$$1000 \text{ m} = 1 \text{ km}$$



1. A block of wood has a volume of 200 cm^3 . The cost of the wood is \$.10 per gram and the density of the wood is $2.1 \text{ g}/\text{cm}^3$. What would be the cost of producing 15 of these blocks of wood.
2. A cylindrical test tube has a volume of 45 in^3 . The liquid inside has weighs 4 ounces per cubic inch and the cost of the liquid is \$.12 per ounce. How much will it cost to fill the test tube to 80% of its capacity?
3. The volume of a pool is 25,000 gallons. The cost of the water to fill the pool is \$120 per 8000 gallons. How much will it cost to fill the pool up 90%?
4. An object made of steel has a volume of 241 cm^3 . The steel costs \$1.25 for 500 grams and has a density of $3.1 \text{ g}/\text{cm}^3$. How much will it cost to make 25 of these objects?

5. A stone brick has a volume of 150 in^3 . The stone weighs 5 grams per cubic inch and it costs \$4.52 for 500 grams of stone. How much will it cost to purchase enough stone to make 12 bricks?

6. A machinist creates a solid steel part for a wind turbine engine. The part has a volume of 1015 cubic centimeters. Steel can be purchased for \$0.29 per kilogram, and has a density of 7.95 g/cm^3 . If the machinist makes 500 of these parts, what is the cost of the steel, to the *nearest dollar*?

7. A water tower has a volume of 1000 liters and the cost of the water is \$250 per cubic kiloliter. How much will it cost to fill the water tower up to 60% of its capacity?

8. A wax candle has a volume of 885 cubic centimeters. The wax costs \$1.24 per kilogram and has a density of 1.9 g/cm^3 . How much will it cost to make 80 candles?

9. An object has a volume of 12 cubic inches and the material it is made from has a density of 7.6 g/in^3 . If the cost of the material is \$1.25 per kilogram, how much will it cost to make 50 of these objects?



Modeling Volume

1) Check units. Convert if necessary. To convert units: Multiply to get units to cancel

out. Example: $3 \text{ in} \cdot \frac{2.54 \text{ cm}}{1 \text{ in}}$



2) FIND VOLUME (Likely to be compound volume (add) or displaced volume (subtract))

3) Begin unit analysis. Start with volume!

Example, a volume of 12 cubic inches has a density of $7.6 \text{ g}/\text{in}^3$, which costs \$1.25 per kilogram, and 50 are needed that are each filled up to 85%:

$$12 \text{ in}^3 \cdot \frac{7.6 \text{ g}}{1 \text{ in}^3} \cdot \frac{1 \text{ kg}}{1000 \text{ g}} \cdot \frac{\$1.25}{1 \text{ kg}} \cdot 50 \cdot .85$$




*If given volume, substitute for V and do Algebra!

1. Cylindrical bricks are needed to fill a hole in a homeowner’s backyard. Each brick is to have a diameter of 4 cm and a height of 2 cm. The weight of the concrete that the brick is going to be made from is 2.1 ounces per cubic centimeter. If the concrete costs \$.14 per ounce, how much would it cost to purchase four bricks? Round your answer to the *nearest cent*.


2. A town in upstate New York keeps sand in a silo that is in the shape of a cone. They use this sand to help de-ice the roads after a snowstorm. The silo has a diameter of 18.6 meters and a height of .3 kilometers. The weight of the sand is 1.2 ounces per cubic meter. If the sand costs \$.12 per ounce, how much will it cost the town to fill 80% of the silo?

3. Walter wants to make 100 candles in the shape of a cone for his new candle business. The mold shown below will be used to make the candles. Each mold will have a height of 8 inches and a diameter of 3 inches.

Walter goes to a hobby store to buy the wax for his candles. The wax costs \$0.10 per ounce. If the weight of the wax is 0.52 ounce per cubic inch, how much will it cost Walter to buy the wax for 100 candles?




4. A snow cone consists of a paper cone completely filled with shaved ice and topped with a hemisphere of shaved ice, as shown in the diagram below. The inside diameter of both the cone and the hemisphere is 8.3 centimeters. The height of the cone is 10.2 centimeters. The desired density of the shaved ice is 0.697 g/cm^3 , and the cost, per kilogram, of ice is \$3.83. Determine and state the cost of the ice needed to make 50 snow cones.



5. A cylindrical casing is to be put around a garbage can in a busy street in Manhattan. The diameter is 25 inches. The height of the case will be 40 inches and the casing will be 1 inch thick. The density of the metal is .841 grams per cubic inch. What will be the mass of the casing?

6. A bakery sells hollow chocolate spheres. The larger diameter of each sphere is 4 cm. The thickness of the chocolate of each sphere is 0.5 cm. Determine and state, to the *nearest tenth of a cubic centimeter*, the amount of chocolate in each hollow sphere. The bakery packages 8 of them into a box. If the density of the chocolate is 1.308 g/cm^3 , determine and state, to the *nearest gram*, the total mass of the chocolate in the box.

7. Ian needs to replace two concrete sections in his sidewalk, as modeled below. Each section is 36 inches by 36 inches and 4 inches deep. He can mix his own concrete for \$3.25 per cubic foot. How much money will it cost Ian to replace the two concrete sections?




8. A concrete footing is a cylinder that is placed in the ground to support a building structure. The cylinder is 4 feet tall and 12 inches in diameter. A contractor is installing 10 footings. If a bag of concrete mix makes $\frac{2}{3}$ of a cubic foot of concrete, determine and state the minimum number of bags of concrete mix needed to make all 10 footings.




9. A gardener wants to buy enough mulch to cover a rectangular garden that is 3 feet by 10 feet. One bag contains 2 cubic feet of mulch and costs \$3.66. How much will the minimum number of bags cost to cover the garden with mulch 3 inches deep?

10. Josh is making a square-based fire pit out of concrete for his backyard, as modeled by the right prism below. He plans to make the outside walls of the fire pit 3.5 feet on each side with a height of 1.5 feet. The concrete walls of the fire pit are going to be 9 inches thick. If a bag of concrete mix will fill 0.6 ft^3 , determine and state the minimum number of bags needed to build the fire pit.



11. Theresa has a rectangular pool 30 ft long, 15 ft wide, and 4 ft deep. Theresa fills her pool using city water at a rate of \$3.95 per 100 gallons of water. Nancy has a circular pool with a diameter of 24 ft and a depth of 4 ft. Nancy fills her pool with a water delivery service at a rate of \$200 per 6000 gallons. If Theresa and Nancy both fill their pools 6 inches from the top of the pool, determine and state who paid more to fill her pool. [$1 \text{ ft}^3 \text{ water} = 7.48 \text{ gallons}$]

11. Shae has recently begun kickboxing and purchased training equipment as modeled in the diagram below. The total weight of the bag, pole, and unfilled base is 270 pounds. The cylindrical base is 18 inches tall with a diameter of 20 inches. The dry sand used to fill the base weighs 95.46 lbs per cubic foot. To the *nearest pound*, determine and state the total weight of the training equipment if the base is filled to 85% of its capacity.



Shelf/Box Questions

- Draw a two dimensional diagram of the shelf/bottom of the box
- Find how many of each object will fit in each dimension by dividing the dimension by the diameter/width of the object and sketch that into the diagram
- *For boxes, add in the third dimension
- Multiply the amount in each dimension by each other to come up with the total number.

1. Boxes of baseball cards are being put on a display shelf. Each box is a cube with edge length of 6 inches. The display shelf is 26 inches by 14 inches. The boxes must completely fit on the shelf and cannot be stacked on top of each other. What is the maximum number of boxes that can fit on the shelf?

2. Cylindrical soup cans with a base diameter of 2.5 inches and a height of 4 inches are to be put on a display shelf. The display shelf measures 21 inches by 45 inches. The cans must completely fit on the shelf and cannot be stacked on top of each other. What is the maximum number of cans that can fit on the shelf?

3. Lacrosse balls have a diameter of 6.47 centimeters and are to be put on a shelf that measures 120 centimeters by 60 centimeters. The balls must completely fit on the shelf and cannot be stacked on top of each other. What is the maximum number of balls that can fit on the shelf?


4. Funko Pops come in cubic packages with edge length of 4 inches. They are to be packed into a shipping box that is a rectangular prism that measures 35 inches by 25 inches by 11 inches. What are the maximum number of Funko Pops that can fit into the shipping box?

5. Baseballs that have a diameter of 2.8 inches are to be packed into a rectangular shipping box that has dimensions 24 inches by 12 inches by 6 inches. What is the maximum number of baseballs that can fit into the shipping box?


6. Ice cream cones are to be packed into a shipping box that has a base that measures 20 inches by 12 inches and has a height of 10 inches. The cones have a diameter of 1.2 inches and a height of 3.2 inches. How many cones can be packed into the box?

7. A manufacturer is designing a new container for their chocolate-covered almonds. Their original container was a cylinder with a height of 18 cm and a diameter of 14 cm. The new container can be modeled by a rectangular prism with a square base and will contain the same amount of chocolate-covered almonds.

If the new container's height is 16 cm, determine and state, to the *nearest tenth of a centimeter*, the side length of the new container if both containers contain the same amount of almonds. A store owner who sells the chocolate-covered almonds displays them on a shelf whose dimensions are 80 cm long and 60 cm wide. The shelf can only hold one layer of new containers when each new container sits on its square base. Determine and state the maximum number of new containers the store owner can fit on the shelf.



8. A packing box for baseballs is the shape of a rectangular prism with dimensions of 2 ft \times 1 ft \times 18 in. Each baseball has a diameter of 2.94 inches. Determine and state the maximum number of baseballs that can be packed in the box if they are stacked in layers and each layer contains an equal number of baseballs. The weight of a baseball is approximately 0.025 pound per cubic inch. Determine and state, to the *nearest pound*, the total weight of all the baseballs in the fully packed box.





Finding Center and Radius of a Circle Using Completing the Square

$(x - a)^2 + (y - b)^2 = r^2$ where (a,b) is the center and r is the radius

To put into center-radius form: COMPLETE THE SQUARE TWICE

To find center: Negate what is in the parenthesis. If there are no parentheses, the coordinate is 0.

Radius is the square root of the right hand side

Completing the Square

1) Write the x's together, y's together, and move constant to the other side

$$x^2 + bx + y^2 + by = c$$

2) Add $\left(\frac{b}{2}\right)^2$ to both sides for each variable

3) Factor each trinomial (Both factors must be the same)

4) Rewrite the factors as a binomial squared

MULTIPLE CHOICE, USE CONICS APP!!!!!!



1. $x^2 + y^2 + 16x + 6y + 9 = 0$

2. $x^2 + y^2 - 12x - 14y = 15$

3. $x^2 + 4x + 12 + y^2 - 2y - 1 = 22$

4. What are the coordinates of the center of a circle whose equation is

$$x^2 + y^2 - 16x + 6y + 53 = 0?$$

- 1) $(-8, -3)$
- 2) $(-8, 3)$
- 3) $(8, -3)$
- 4) $(8, 3)$

5. The equation of a circle is $x^2 + y^2 + 6y = 7$. What are the coordinates of the center and the length of the radius of the circle?

- 1) center $(0, 3)$ and radius 4
- 2) center $(0, -3)$ and radius 4
- 3) center $(0, 3)$ and radius 16
- 4) center $(0, -3)$ and radius 16

6. What are the coordinates of the center and length of the radius of the circle whose equation is $x^2 + 6x + y^2 - 4y = 23$?

- 1) $(3, -2)$ and 36
- 2) $(3, -2)$ and 6
- 3) $(-3, 2)$ and 36
- 4) $(-3, 2)$ and 6

7. The equation of a circle is $x^2 + y^2 + 12x = -27$. What are the coordinates of the center and the length of the radius of the circle?

- | | |
|---------------------------------|----------------------------------|
| 1) center $(6, 0)$ and radius 3 | 3) center $(-6, 0)$ and radius 3 |
| 2) center $(6, 0)$ and radius 9 | 4) center $(-6, 0)$ and radius 9 |

8. An equation of circle M is $x^2 + y^2 + 6x - 2y + 1 = 0$. What are the coordinates of the center and the length of the radius of circle M ?

- | | |
|----------------------------------|----------------------------------|
| 1) center $(3, -1)$ and radius 9 | 3) center $(-3, 1)$ and radius 9 |
| 2) center $(3, -1)$ and radius 3 | 4) center $(-3, 1)$ and radius 3 |

9. What are the coordinates of the center and length of the radius of the circle whose equation is $x^2 + y^2 + 2x - 16y + 49 = 0$?

- 1) center $(1, -8)$ and radius 4
- 2) center $(-1, 8)$ and radius 4
- 3) center $(1, -8)$ and radius 16
- 4) center $(-1, 8)$ and radius 16

10. What are the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 - 12y - 20.25 = 0$?


- 1) center $(0, 6)$ and radius 7.5
- 2) center $(0, -6)$ and radius 7.5
- 3) center $(0, 12)$ and radius 4.5
- 4) center $(0, -12)$ and radius 4.5

11. What is an equation of a circle whose center is $(1, 4)$ and diameter is 10?

- 1) $x^2 - 2x + y^2 - 8y = 8$
- 2) $x^2 + 2x + y^2 + 8y = 8$
- 3) $x^2 - 2x + y^2 - 8y = 83$
- 4) $x^2 + 2x + y^2 + 8y = 83$

12. What is an equation of circle O shown in the graph below?

- 1) $x^2 + 10x + y^2 + 4y = -13$
- 2) $x^2 - 10x + y^2 - 4y = -13$
- 3) $x^2 + 10x + y^2 + 4y = -25$
- 4) $x^2 - 10x + y^2 - 4y = -25$





Line Dilations


THE IMAGE IS ALWAYS PARALLEL! SLOPE IS ALWAYS THE SAME!

Conceptual:

Determine if the point is on the line by substituting the x and y coordinates into the equation of the line.

If the point is on the line: Same y intercept (Exact same equation).

If the point is on the line: Different y intercept.



Writing the equation:

If center is origin: Multiply scale factor and original b to find new b

If center is on the line: The image is the same equation as the original.

If the center or scale factor is not given, all we know is that they are parallel (same slope).

1. The line $y = -5x - 1$ is dilated by a scale factor of 2 and centered at the origin. Write an equation that represents the image of the line after the dilation.

2. The line $y = -2x + 4$ is dilated by a scale factor of $\frac{5}{2}$ and centered at the origin. Write an equation that represents the image of the line after the dilation.

3. The line $y = 2x - 4$ is dilated by a scale factor of $\frac{3}{2}$ and centered at the origin. Which equation represents the image of the line after the dilation?

- 1) $y = 2x - 4$
- 2) $y = 2x - 6$
- 3) $y = 3x - 4$
- 4) $y = 3x - 6$

4. What is an equation of the image of the line $y = \frac{3}{2}x - 4$ after a dilation of a scale factor of $\frac{3}{4}$ centered at the origin?

- | | |
|---------------------------|---------------------------|
| 1) $y = \frac{9}{8}x - 4$ | 3) $y = \frac{3}{2}x - 4$ |
| 2) $y = \frac{9}{8}x - 3$ | 4) $y = \frac{3}{2}x - 3$ |

5. Line $y = 3x - 1$ is transformed by a dilation with a scale factor of 2 and centered at $(3, 8)$. The line's image is

- 1) $y = 3x - 8$
- 2) $y = 3x - 4$
- 3) $y = 3x - 2$
- 4) $y = 3x - 1$

6. Line MN is dilated by a scale factor of 2 centered at the point $(0, 6)$. If \overleftrightarrow{MN} is represented by $y = -3x + 6$, which equation can represent $\overleftrightarrow{M'N'}$, the image of \overleftrightarrow{MN} ?

- 1) $y = -3x + 12$
- 2) $y = -3x + 6$
- 3) $y = -6x + 12$
- 4) $y = -6x + 6$

7. The line $y = 4x - 2$ is dilated by a scale factor of 3 and centered at the point $(-1, -6)$. Which equation represents the image of the line after the dilation?

- 1) $y = 4x - 2$
- 2) $y = 4x - 6$
- 3) $y = 12x - 2$
- 4) $y = 12x - 6$

8. The line $y = \frac{1}{2}x + 5$ is dilated by a scale factor of 4 and centered at the point $(4, 7)$.

Which equation represents the image of the line after the dilation?

- 1) $y = \frac{1}{2}x + 20$
- 2) $y = \frac{1}{2}x + 5$
- 3) $y = 2x + 20$
- 4) $y = 2x + 5$

9. The equation of line h is $2x + y = 1$. Line m is the image of line h after a dilation of scale factor 4 with respect to the origin. What is the equation of the line m ?

- 1) $y = -2x + 1$
- 2) $y = -2x + 4$
- 3) $y = 2x + 4$
- 4) $y = 2x + 1$

10. The line $2x + 3y = 8$ is dilated by a scale factor of 3 and centered at the point $(1, 2)$. Which equation represents the image of the line after the dilation?

- 1) $y = -\frac{2}{3}x + \frac{8}{3}$
- 2) $y = -\frac{2}{3}x + 8$
- 3) $y = -2x + \frac{8}{3}$
- 4) $y = -2x + 8$

11. The line $3y = -2x + 8$ is transformed by a dilation centered at the origin. Which linear equation could be its image?

- 1) $2x + 3y = 5$
- 2) $2x - 3y = 5$
- 3) $3x + 2y = 5$
- 4) $3x - 2y = 5$

12. The line represented by the equation $4y = 3x + 7$ is transformed by a dilation centered at the origin. Which linear equation could represent its image?

- 1) $3x - 4y = 9$
- 2) $3x + 4y = 9$
- 3) $4x - 3y = 9$
- 4) $4x + 3y = 9$

13. The line $-3x + 4y = 8$ is transformed by a dilation centered at the origin. Which linear equation could represent its image?

- 1) $y = \frac{4}{3}x + 8$
- 2) $y = \frac{3}{4}x + 8$
- 3) $y = -\frac{3}{4}x - 8$
- 4) $y = -\frac{4}{3}x - 8$

14. Line n is represented by the equation $3x + 4y = 20$. Determine and state the equation of line p , the image of line n , after a dilation of scale factor $\frac{1}{3}$ centered at the point $(4, 2)$. Explain your answer.

15. Aliyah says that when the line $4x + 3y = 24$ is dilated by a scale factor of 2 centered at the point $(3, 4)$, the equation of the dilated line is $y = -\frac{4}{3}x + 16$. Is Aliyah correct? Explain why.

Dilating Segments with Perimeter and Area

Multiply the original segment and scale factor to find the image.

Multiply the original perimeter and scale factor to find the image perimeter.

Multiply the original area and the $(scale\ factor)^2$ to find the image area.

*You may have to use distance formula to find original segment.

*The center of dilation does not effect the size of the image

*When the midpoints are joined, the scale factor is $\frac{1}{2}$

1. A line segment with a length of 5 is dilated by a scale factor of 4. What is the length of its image?

2. A line segment has a length of 12 and is dilated by $\frac{1}{2}$. What is the length of its image?

3. A three-inch line segment is dilated by a scale factor of 6 and centered at its midpoint. What is the length of its image?

- 1) 9 inches
- 2) 2 inches
- 3) 15 inches
- 4) 18 inches

4. Triangle JOY has a perimeter of 10 and an area of 12. What is the perimeter and area of triangle JOY after a dilation by a scale factor of 2?

5. Quadrilateral CAMI has a perimeter of 20 and an area of 15. What is the perimeter and area of quadrilateral CAMI after a dilation by a scale factor of 4?

6. Given square $RSTV$, where $RS = 9$ cm. If square $RSTV$ is dilated by a scale factor of 3 about a given center, what is the perimeter, in centimeters, of the image of $RSTV$ after the dilation?

- 1) 12
- 2) 27
- 3) 36
- 4) 108

7. Triangle RJM has an area of 6 and a perimeter of 12. If the triangle is dilated by a scale factor of 3 centered at the origin, what are the area and perimeter of its image, triangle $R'J'M'$?

- 1) area of 9 and perimeter of 15
- 2) area of 18 and perimeter of 36
- 3) area of 54 and perimeter of 36
- 4) area of 54 and perimeter of 108


8. Rectangle $A'B'C'D'$ is the image of rectangle $ABCD$ after a dilation centered at point A by a scale factor of $\frac{2}{3}$. Which statement is correct?

- 1) Rectangle $A'B'C'D'$ has a perimeter that is $\frac{2}{3}$ the perimeter of rectangle $ABCD$.
- 2) Rectangle $A'B'C'D'$ has a perimeter that is $\frac{3}{2}$ the perimeter of rectangle $ABCD$.
- 3) Rectangle $A'B'C'D'$ has an area that is $\frac{2}{3}$ the area of rectangle $ABCD$.
- 4) Rectangle $A'B'C'D'$ has an area that is $\frac{3}{2}$ the area of rectangle $ABCD$.

9. In the diagram below of $\triangle ABC$, D , E , and F are the midpoints of \overline{AB} , \overline{BC} , and \overline{CA} , respectively.

What is the ratio of the area of $\triangle CFE$ to the area of $\triangle CAB$?

- | | |
|--------|--------|
| 1) 1:1 | 3) 1:3 |
| 2) 1:2 | 4) 1:4 |



10. The area of $\triangle TAP$ is 36 cm^2 . A second triangle, JOE , is formed by connecting the midpoints of each side of $\triangle TAP$. What is the area of JOE , in square centimeters?

- 1) 9
- 2) 12
- 3) 18
- 4) 27



Equation of a line through a point

- 1) Find m using parallel (same slope) or perpendicular (negative reciprocal slopes)
- 2) Substitute into $y - y_1 = m(x - x_1)$. Don't forget to negate x_1 and y_1 .
- 3) If it's multiple choice, you may have to distribute and isolate y .

1. What is the equation of a line that passes through the point $(-3, -11)$ and is parallel to the line whose equation is $y = 2x - 4$?

1) $y = 2x + 5$

3) $y = \frac{1}{2}x + \frac{25}{2}$

2) $y = 2x - 5$

4) $y = -\frac{1}{2}x - \frac{25}{2}$

2. What is an equation of the line that passes through the point $(-2, 5)$ and is perpendicular to the line whose equation is $y = \frac{1}{2}x + 5$?

1) $y - 5 = \frac{1}{2}(x + 2)$

3) $y + 5 = \frac{1}{2}(x - 2)$

2) $y - 5 = -2(x + 2)$

4) $y + 5 = -2(x - 2)$

3. What is an equation of the line that contains the point $(3, -1)$ and is perpendicular to the line whose equation is $y = -3x + 2$?

1) $y = -3x + 8$

3) $y = \frac{1}{3}x$

2) $y = -3x$

4) $y = \frac{1}{3}x - 2$

4. An equation of the line that passes through $(2, -1)$ and is parallel to the line $2y + 3x = 8$ is

1) $y + 1 = -\frac{3}{2}(x - 2)$

3) $y - 1 = -\frac{3}{2}(x + 2)$

2) $y + 1 = \frac{2}{3}(x - 2)$

4) $y - 1 = \frac{2}{3}(x + 2)$

5. What is an equation of the line that is perpendicular to the line whose equation is $y = \frac{3}{5}x - 2$ and that passes through the point $(3, -6)$?

- 1) $y = \frac{5}{3}x - 11$
- 2) $y = -\frac{5}{3}x + 11$
- 3) $y = -\frac{5}{3}x - 1$
- 4) $y = \frac{5}{3}x + 1$

6. The equation of a line is $y = \frac{2}{3}x + 5$. What is an equation of the line that is perpendicular to the given line and that passes through the point $(4, 2)$?

- 1) $y = \frac{2}{3}x - \frac{2}{3}$
- 2) $y = \frac{3}{2}x - 4$
- 3) $y = -\frac{3}{2}x + 7$
- 4) $y = -\frac{3}{2}x + 8$

7. What is an equation of the line that passes through the point $(6, 8)$ and is perpendicular to a line with equation $y = \frac{3}{2}x + 5$?

- 1) $y - 8 = \frac{3}{2}(x - 6)$
- 2) $y - 8 = -\frac{2}{3}(x - 6)$
- 3) $y + 8 = \frac{3}{2}(x + 6)$
- 4) $y + 8 = -\frac{2}{3}(x + 6)$

8. What is an equation of a line which passes through $(6, 9)$ and is perpendicular to the line whose equation is $4x - 6y = 15$?

- 1) $y - 9 = -\frac{3}{2}(x - 6)$
- 2) $y - 9 = \frac{2}{3}(x - 6)$
- 3) $y + 9 = -\frac{3}{2}(x + 6)$
- 4) $y + 9 = \frac{2}{3}(x + 6)$



Writing the Equation of a Perpendicular Bisector


1) Find slope: $m = \frac{\Delta y}{\Delta x}$

2) Find midpoint: $MP = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$


3) Substitute $m \perp$ and midpoint into $y - y_1 = m(x - x_1)$

*You might have to distribute and isolate y to put it into slope-intercept form


1. Write an equation of the perpendicular bisector of the line segment whose endpoints are (3,5) and (5,9) in both point slope and slope intercept form.




2. Write an equation of the perpendicular bisector of the line segment whose endpoints are (-1,5) and (1,1) in both point slope and slope intercept form.



3. Write an equation of the perpendicular bisector of the line segment whose endpoints are $(-4,1)$ and $(0,3)$ in both point slope and slope intercept form.




4. Write an equation of the perpendicular bisector of the line segment whose endpoints are $(-4,3)$ and $(4,5)$ in both point slope and slope intercept form.



5. Line segment \overline{NY} has endpoints $N(-11, 5)$ and $Y(5, -7)$.


What is the equation of the perpendicular bisector of \overline{NY} ?

- 1) $y + 1 = \frac{4}{3}(x + 3)$
- 2) $y + 1 = -\frac{3}{4}(x + 3)$
- 3) $y - 6 = \frac{4}{3}(x - 8)$
- 4) $y - 6 = -\frac{3}{4}(x - 8)$




6. What is an equation of the perpendicular bisector of the line segment shown in the diagram below?

- 1) $y + 2x = 0$
- 2) $y - 2x = 0$
- 3) $2y + x = 0$
- 4) $2y - x = 0$




7. Segment \overline{JM} has endpoints $J(-5, 1)$ and $M(7, -9)$. An equation of the perpendicular bisector of \overline{JM} is


- 1) $y - 4 = \frac{5}{6}(x + 1)$
- 2) $y + 4 = \frac{5}{6}(x - 1)$
- 3) $y - 4 = \frac{6}{5}(x + 1)$
- 4) $y + 4 = \frac{6}{5}(x - 1)$



8. The endpoints of \overline{AB} are $A(0, 4)$ and $B(-4, 6)$. Which equation of a line represents the perpendicular bisector of \overline{AB} ?

- 1) $y = -\frac{1}{2}x + 4$
- 2) $y = -2x + 1$
- 3) $y = 2x + 8$
- 4) $y = 2x + 9$






Partitions

- 1) Find $\frac{\Delta x}{p}$ and $\frac{\Delta y}{p}$ where p is the number of partitions.
- 2) Count those values out on the graph between the two endpoints
- 3) Circle and state the point that matches the given ratio.


BE CAREFUL WHICH POINT YOU START FROM!

*Expect to have to use your scrap graph paper


1. The coordinates of the endpoints of \overline{AB} are $A(-6, -5)$ and $B(4, 0)$. Point P is on \overline{AB} . Determine and state the coordinates of point P , such that $AP:PB$ is $2:3$.




2. What are the coordinates of the point on the directed line segment from $G(-4, -7)$ to $O(4, 5)$ that partitions the segment into a ratio of 3 to 1?




3. Directed line segment \overline{IQ} has endpoints whose coordinates are $I(-7, 8)$ and $Q(-1, -4)$. Determine the coordinates of point J that divides the segment in the ratio 1 to 5.




4. Directed line segment SB has endpoints whose coordinates are $S(-6,3)$ and $B(9,-2)$. Determine the coordinates of point J that divides the segment in the ratio 2 to 3.



5. What are the coordinates of the point on the directed line segment from $P(-1,6)$ to $S(5,3)$ that partitions the segment into a ratio of 1 to 2?




6. Directed line segment JK has endpoints whose coordinates are $J(8,6)$ and $Q(-10,-3)$. Determine the coordinates of point O that divides the segment in the ratio 5 to 4.






Area with Coordinate Geometry Box Method

- 1) Build a rectangle around the shape
- 2) Find the area of the rectangle ($A=lw$)
- 3) Find the area of the triangles outside of the shape ($A=.5lw$)
- 4) Subtract the triangle areas from the rectangle area




Find the area of the following shapes


1.




2.




3.




4.




5.




6.



7.



8.







Circle Angle and Segment Rules:

The arcs of a circle add to 360°


A diameter cuts a circle into 2 halves of 180° each



Central Angle: Has its vertex at the center of the circle
Central angle is equal to the measure of the intercepted arc




Inscribed Angle: Has its vertex on the circle
Inscribed angle is half of the measure of the intercepted arc



Exterior Segments/Angles:

Angles: $2(\text{Exterior Angle}) = (\text{Major Arc} - \text{Minor Arc})$


Segments: $\text{Whole} \cdot \text{Exterior} = \text{Whole} \cdot \text{Exterior}$




Intersecting Segments/Angles:

Angles: $2(\text{Vertical Angle}) = \text{Arc} + \text{Arc}$


Segments: $\text{Part} \cdot \text{Part} = \text{Part} \cdot \text{Part}$




Two tangents drawn from the same point are congruent



Congruent chords intercept congruent arcs




Parallel chords intercept congruent arcs




1. As shown in the diagram below, secants \overrightarrow{PWR} and \overrightarrow{PTS} are drawn to circle O from external point P .


If $m\angle RPS = 35^\circ$ and $m\widehat{RS} = 121^\circ$, determine and state $m\widehat{WT}$.




2. In the diagram of circle O , \overline{PQ} is tangent to O at Q and \overline{PRT} is a secant. If $m\angle P = 56$ and $m\widehat{QT} = 192$, find $m\widehat{QR}$.




3. In Circle O , $m\widehat{AC} = 150$ and $m\widehat{AH} = 70$. Find $m\angle P$




4. In the diagram below of circle O , chords \overline{AB} and \overline{CD} intersect at E . If $m\widehat{AC} = 72^\circ$ and $m\angle AEC = 58^\circ$, how many degrees are in $m\widehat{DB}$?




5. In the diagram below of circle O , chords \overline{AE} and \overline{DC} intersect at point B , such that $m\widehat{AC} = 36$ and $m\widehat{DE} = 20$. What is $m\angle ABC$?



6. In the diagram below of circle O , chords \overline{AB} and \overline{CD} intersect at E . If $m\angle AEC = 34$ and $m\widehat{AC} = 50$, what is $m\widehat{DB}$?




7. In the diagram, \overline{AD} is tangent to circle O at D , and \overline{CBA} is a secant. If $AD = 6$ and $AC = 9$, what is AB ?




8. In the diagram below, secants \overline{RST} and \overline{RQP} , drawn from point R , intersect circle O at S, T, Q , and P .

If $RS = 6$, $ST = 4$, and $RP = 15$, what is the length of \overline{RQ} ?




9. In the diagram below of circle O , \overline{PA} is tangent to circle O at A , and \overline{PBC} is a secant with points B and C on the circle.


If $PA = 8$ and $PB = 4$, what is the length of \overline{BC} ?




10. In the diagram below of circle O , chords \overline{AB} and \overline{CD} intersect at E . If $\overline{CE} = 10$, $\overline{ED} = 6$, and $\overline{AE} = 4$, what is the length of \overline{EB} ?



11. If $\overline{BR} = 10$, $\overline{BE} = 4$, $\overline{AE} = 8$, find \overline{ES}



12. In the diagram of circle O below, chord \overline{AB} intersects chord \overline{CD} at E , $\overline{DE} = 2x + 8$, $\overline{EC} = 3$, $\overline{AE} = 4x - 3$, and $\overline{EB} = 4$. What is the value of x ?




13. In circle O two secants, \overline{ABP} and \overline{CDP} , are drawn to external point P . If $m\widehat{AC} = 72^\circ$, and $m\widehat{BD} = 34^\circ$, what is the measure of $\angle P$?

14. Diameter \overline{ROQ} of circle O is extended through Q to point P , and tangent \overline{PA} is drawn. If $m\widehat{RA} = 100^\circ$, what is $m\angle P$?


15. In circle O , secants \overline{ADB} and \overline{AEC} are drawn from external point A such that points D , B , E , and C are on circle O . If $AD = 8$, $AE = 6$, and EC is 12 more than BD , the length of \overline{BD} is

- 1) 6
- 2) 22
- 3) 36
- 4) 48


16. In the diagram below, tangent \overline{DA} and secant \overline{DBC} are drawn to circle O from external point D , such that $\widehat{AC} \cong \widehat{BC}$. If $m\widehat{BC} = 152^\circ$, determine and state $m\angle D$.




17. In circle A below, chord \overline{BC} and diameter \overline{DAE} intersect at F . If $m\widehat{CD} = 46^\circ$ and $m\widehat{DB} = 102^\circ$, what is $m\angle CFE$?



18. In the diagram below of circle K , secant \overline{PLKE} and tangent \overline{PZ} are drawn from external point P . If $m\widehat{LZ} = 56^\circ$, determine and state the degree measure of angle P .




19. In the diagram below, quadrilateral $ABCD$ is inscribed in circle O , and $m\widehat{CD} : m\widehat{DA} : m\widehat{AB} : m\widehat{BC} = 2 : 3 : 5 : 5$. Determine and state $m\angle B$.






Quadrilateral Inscribed In a Circle
Opposite angles are supplementary (add to 180)


1. In the diagram below, quadrilateral $SBRE$ is inscribed in the circle. If $m\angle BRE = 91^\circ$ and $m\angle SBR = 40^\circ$, find $m\angle BSE$ and $m\angle SER$



2. In the diagram below, quadrilateral $MONK$ is inscribed in circle J , $m\angle KMO = 48^\circ$ and $m\angle MON = 80^\circ$. Find the measures of $m\angle KNO$ and $m\angle MKN$.




3. In the diagram below, quadrilateral $SEAL$ is inscribed in circle K , $\overline{SE} \perp \overline{EA}$ and $m\angle EAL = 68^\circ$. Find the measures of $m\angle SLA$ and $m\angle ESL$.




4. In the diagram below, quadrilateral $ABCD$ is inscribed in circle P .

What is $m\angle ADC$?

- 1) 70°
- 2) 72°
- 3) 108°
- 4) 110°




5. In the diagram below, quadrilateral $FLAN$ is inscribed in circle K , $m\angle FNA = 9x + 10$ and $m\angle FLA = 6x + 20$. Find the measures of $m\angle FLA$.



6. Quadrilateral $ABCD$ is inscribed in circle O , as shown below.

If $m\angle A = 80^\circ$, $m\angle B = 75^\circ$, $m\angle C = (y + 30)^\circ$, and $m\angle D = (x - 10)^\circ$, which statement is true?

- 1) $x = 85$ and $y = 50$
- 2) $x = 90$ and $y = 45$
- 3) $x = 110$ and $y = 75$
- 4) $x = 115$ and $y = 70$






$$\text{Area of a Sector} = \frac{\theta\pi r^2}{360}$$


If given area of a sector, use algebra to solve for missing variable




1. In circle O, $m\angle AOC = 70$ and $\overline{AO} = 2 \text{ in}$. Find the area of sector COA to the nearest square inch.



2. In circle O, if $\angle BOY = 80^\circ$ and $\overline{BO} = 8 \text{ cm}$, find the area of sector BOY in terms of π .




3. In circle O, $m\angle AOC = 65$ and $\overline{DO} = 6 \text{ in}$. Find the area of sector COB in terms of π .



4. Determine and state, in terms of π , the area of a sector that intercepts a 40° arc of a circle with a radius of 4.5.

5. A circle with a diameter of 10 cm and a central angle of 30° is drawn below. What is the area, to the *nearest tenth of a square centimeter*, of the sector formed by the 30° angle?


- 1) 5.2
- 2) 6.5
- 3) 13.1
- 4) 26.2



6. A circle has a radius of 6.4 inches. Determine and state, to the *nearest square inch*, the area of a sector whose arc measures 80° .


7. In circle P below, diameter \overline{AC} and radius \overline{BP} are drawn such that $m\angle APB = 110^\circ$. If $AC = 12$, what is the area of shaded sector BPC ?

- 1) $\frac{7}{6}\pi$
- 2) 7π
- 3) 11π
- 4) 28π




8. In the diagram below of circle O , $GO = 8$ and $m\angle GOJ = 60^\circ$. What is the area, in terms of π , of the shaded region?

- 1) $\frac{4\pi}{3}$
- 2) $\frac{20\pi}{3}$
- 3) $\frac{32\pi}{3}$
- 4) $\frac{160\pi}{3}$




9. In the diagram below of circle O , \overline{AC} and \overline{BC} are chords, and $m\angle ACB = 70^\circ$. If $OA = 9$, the area of the shaded sector AOB is


- 1) 3.5π
- 2) 7π
- 3) 15.75π
- 4) 31.5π



10. In the diagram below of circle O , the measure of inscribed angle ABC is 36° and the length of \overline{OA} is 4 inches. Determine and state, to the nearest tenth of a square inch, the area of the shaded sector.




11. In the diagram below of circle O , the area of the shaded sector AOC is $12\pi \text{ in}^2$ and the length of \overline{OA} is 6 inches. Determine and state $m\angle AOC$.




12. The area of a sector of a circle with a radius measuring 15 cm is $75\pi \text{ cm}^2$. What is the measure of the central angle that forms the sector?

- | | |
|----------------|----------------|
| 1) 72° | 3) 144° |
| 2) 120° | 4) 180° |


13. In the diagram below of circle O , the area of sector STO is $48\pi \text{ in}^2$ and the length of \overline{OP} is 12 inches. Determine and state $m\angle SOT$



14. In circle O , diameters \overline{BOD} and \overline{COA} intersect at the center of the circle O . If the area of sector $OCD = 240\pi$ square inches and $m\angle AOD = 80^\circ$, find the measure of \overline{OB} to the nearest tenth of an inch.




15. In the diagram below, the circle has a radius of 25 inches. The area of the *unshaded* sector is $500\pi \text{ in}^2$. Determine and state the degree measure of angle Q , the central angle of the shaded sector.



Arc Length: $s = \theta r$, where s = arc length, θ = central angle (in radians), r = radius



1. In circle O, the measure of central angle AOB is 3 radians and the length of \overline{OB} is 2 cm. What is the measure of arc AB?



2. What is the measure of the central angle below?



3. What is the measure of the radius of a sector whose arc length is 12 inches and has a central angle of 4 radians?


4. A wheel has a radius of 18 inches. Which distance, to the *nearest inch*, does the wheel travel when it rotates through an angle of $\frac{2\pi}{5}$ radians?

5. What is the measure of a central angle in degrees whose arc length is 6 meters and whose radius measures 8 meters?


6. In the diagram below, the circle shown has radius 10. Angle B intercepts an arc with a length of 2π .

What is the measure of angle B , in radians?

- 1) $10 + 2\pi$
- 2) 20π
- 3) $\frac{\pi}{5}$
- 4) $\frac{5}{\pi}$




7. In circle O , the measure of central angle AOB is $\frac{\pi}{2}$ radians and the length of arc AB is 10 cm. What is the measure of radius \overline{OB} to the nearest tenth of a cm?




8. In the diagram below, Circle 1 has radius 4, while Circle 2 has radius 6.5. Angle A intercepts an arc of length π , and angle B intercepts an arc of length $\frac{13\pi}{8}$.

Dominic thinks that angles A and B have the same radian measure. State whether Dominic is correct or not. Explain why.






Parallelogram Properties



Two pairs of opposite sides are congruent




Two pairs of opposite sides are parallel



Two pairs of opposite angles are congruent




Diagonals bisect each other




One pair of opposite sides are congruent and parallel.




A right angle (consecutive sides perpendicular)




Congruent diagonals




Diagonals are perpendicular to each other



Diagonals bisect the angles



Consecutive sides are congruent



A rectangle and rhombus have all of the properties of the parallelogram.

A square has all of the properties of the parallelogram, rectangle, and rhombus.

A trapezoid has one pair of opposite sides parallel and one pair of opposite sides not parallel.

An isosceles trapezoid is a trapezoid that has congruent legs and congruent diagonals.

For properties questions, draw the shape!

1. Which of the following is not true of all rectangles?

- 1) Consecutive sides are perpendicular
- 2) Opposite sides are parallel
- 3) Diagonals are perpendicular to each other
- 4) Diagonals bisect each other

2. Which of the following is true about rhombuses?

- 1) Consecutive sides are perpendicular
- 2) Opposite sides are congruent
- 3) Consecutive angles are congruent
- 4) Diagonals are congruent

3. Which of the following is *not* true about all parallelograms?

- 1) Diagonals bisect each other
- 2) Diagonals are perpendicular to each other
- 3) Opposite angles are congruent
- 4) Consecutive angles are supplementary

4. A quadrilateral whose diagonals bisect each other and are perpendicular is a

- 1) rhombus
- 2) rectangle
- 3) trapezoid
- 4) parallelogram

5. If the diagonals of a quadrilateral do *not* bisect each other, then the quadrilateral could be a

- 1) rectangle
- 2) rhombus
- 3) square
- 4) trapezoid

6. Which statement is true about every parallelogram?

- 1) All four sides are congruent.
- 2) The interior angles are all congruent.
- 3) Two pairs of opposite sides are congruent.
- 4) The diagonals are perpendicular to each other.

7. Which quadrilateral has diagonals that always bisect its angles and also bisect each other?

- 1) rhombus
- 2) rectangle
- 3) parallelogram
- 4) isosceles trapezoid

8. The diagonals of a quadrilateral are congruent but do not bisect each other. This quadrilateral is

- 1) an isosceles trapezoid
- 2) a parallelogram
- 3) a rectangle
- 4) a rhombus

9. Given three distinct quadrilaterals, a square, a rectangle, and a rhombus, which quadrilaterals must have perpendicular diagonals?


- 1) the rhombus, only
- 2) the rectangle and the square
- 3) the rhombus and the square
- 4) the rectangle, the rhombus, and the square

10. A parallelogram must be a rhombus when its

- 1) Diagonals are congruent.
- 2) Opposite sides are parallel.
- 3) Diagonals are perpendicular.
- 4) Opposite angles are congruent.

11. A parallelogram must be a rectangle when its
- 1) diagonals are perpendicular
 - 2) diagonals are congruent
 - 3) opposite sides are parallel
 - 4) opposite sides are congruent
12. A rectangle must be a square when its
- 1) consecutive sides are perpendicular
 - 2) diagonals are congruent
 - 3) diagonals are perpendicular to each other
 - 4) opposite sides are parallel
13. A rhombus must be a square when its
- 1) consecutive sides are congruent
 - 2) diagonals are congruent
 - 3) opposite angles are congruent
 - 4) diagonals are perpendicular to each other
14. A parallelogram must be a rectangle when its
- 1) consecutive sides are congruent
 - 2) opposite angles are congruent
 - 3) consecutive sides are perpendicular
 - 4) opposite sides are parallel
15. Which of the following properties does not make a parallelogram a rhombus?
- 1) diagonals bisect the angles
 - 2) diagonals are perpendicular to each other
 - 3) opposite angles are congruent
 - 4) consecutive sides are congruent
16. Which of the following properties does not make a rhombus a square?
- 1) Diagonals are congruent
 - 2) Diagonals are perpendicular to each other
 - 3) Consecutive sides are perpendicular
 - 4) Consecutive angles are congruent
17. Which set of statements would describe a parallelogram that can always be classified as a rhombus?
- I. Diagonals are perpendicular bisectors of each other.
 - II. Diagonals bisect the angles from which they are drawn.
 - III. Diagonals form four congruent isosceles right triangles.
- 1) I and II
 - 2) I and III
 - 3) II and III
 - 4) I, II, and III

18. In the diagram below, parallelogram $ABCD$ has diagonals \overline{AC} and \overline{BD} that intersect at point E .



Which expression is *not* always true?

- 1) $\angle DAE \cong \angle BCE$
- 2) $\angle DEC \cong \angle BEA$
- 3) $\overline{AC} \cong \overline{DB}$
- 4) $\overline{DE} \cong \overline{EB}$

19. If $ABCD$ is a parallelogram, which statement would prove that $ABCD$ is a rhombus?

- 1) $\angle ABC \cong \angle CDA$
- 2) $\overline{AC} \cong \overline{BD}$
- 3) $\overline{AC} \perp \overline{BD}$
- 4) $\overline{AB} \perp \overline{CD}$

20. If $ABCD$ is a parallelogram, which statement would prove that $ABCD$ is a rectangle?


- 1) $\angle ABC \cong \angle CDA$
- 2) $\overline{AC} \cong \overline{BD}$
- 3) $\overline{AC} \perp \overline{BD}$
- 4) $\overline{AB} \perp \overline{CD}$

21. In rectangle $ABCD$, diagonals \overline{AC} and \overline{BD} intersect at E . Which statement does *not* prove rectangle $ABCD$ is a square?

- 1) $\overline{AC} \cong \overline{DB}$
- 2) $\overline{AB} \cong \overline{BC}$
- 3) $\overline{AC} \perp \overline{DB}$
- 4) \overline{AC} bisects $\angle DCB$


22. Parallelogram $BETH$, with diagonals \overline{BT} and \overline{HE} , is drawn below. What additional information is sufficient to prove that $BETH$ is a rectangle?

- 1) $\overline{BT} \perp \overline{HE}$
- 2) $\overline{BE} \parallel \overline{HT}$
- 3) $\overline{BT} \cong \overline{HE}$
- 4) $\overline{BE} \cong \overline{ET}$



23. Parallelogram $EATK$ has diagonals \overline{ET} and \overline{AK} . Which information is always sufficient to prove $EATK$ is a rhombus?

- 1) $\overline{EA} \perp \overline{AT}$
- 2) $\overline{EA} \cong \overline{AT}$
- 3) $\overline{ET} \cong \overline{AK}$
- 4) $\overline{ET} \cong \overline{AT}$




Triangles/Parallel Lines Cut By a Transversal/Angles of Parallelograms

- 1) The three angles of a triangle add to equal 180° . **Look for triangles.**
*The four angles of a quadrilateral add to 360° .
- 2) Linear pairs add to 180° . **Look for linear pairs.**
- 3) Vertical angles are congruent. Look for an X (intersecting lines).
- 4) **Given congruent sides:** Isosceles triangle has congruent angles opposite congruent sides.
- 5) **Given equilateral triangle:** Equilateral triangle has angles $60, 60, 60$.
- 6) **Given angle bisector:** An angle bisector cuts an angle into two congruent halves.
- 7) **Given parallel:** Extend parallel lines and transversal. Follow the transversal and fill in all 8 angles. If angles are the same (both acute or both obtuse), the angles are congruent. If the angles are different (one acute and one obtuse), the angles are supplementary (add to 180).
- 8) **Given parallelogram:** Opposite angles are congruent and consecutive angles are supplementary (add to 180)

1. In the diagram below, $\overleftrightarrow{RCBT}$ and $\triangle ABC$ are shown with $m\angle A = 60$ and $m\angle ABT = 125$.

What is $m\angle ACR$?


- 1) 125
- 2) 115
- 3) 65
- 4) 55




2. In the diagram below, $\triangle LMO$ is isosceles with $LO = MO$.

If $m\angle L = 55$ and $m\angle NOM = 28$, what is $m\angle N$?


- 1) 27
- 2) 28
- 3) 42
- 4) 70




3. In the diagram below of $\triangle ACD$, B is a point on \overline{AC} such that $\triangle ADB$ is an equilateral triangle, and $\triangle DBC$ is an isosceles triangle with $\overline{DB} \cong \overline{BC}$. Find $m\angle C$.




4. Given $\triangle ABC$ with $m\angle B = 62^\circ$ and side \overline{AC} extended to D , as shown below. Which value of x makes $\overline{AB} \cong \overline{CB}$?



5. In the diagram of $\triangle ABC$ below, \overline{AE} bisects angle BAC , and altitude \overline{BD} is drawn. If $m\angle C = 50^\circ$ and $m\angle ABC = 60^\circ$, what is $m\angle FEB$?




6. In the diagram below of triangle MNO , $\angle M$ and $\angle O$ are bisected by \overline{MS} and \overline{OR} , respectively. Segments \overline{MS} and \overline{OR} intersect at T , and $m\angle N = 40^\circ$. If $m\angle TMR = 28^\circ$, what is the measure of angle OTS ?




7. In the diagram below, $\overline{AEFB} \parallel \overline{CGD}$, and \overline{GE} and \overline{GF} are drawn.

If $m\angle EFG = 32^\circ$ and $m\angle AEG = 137^\circ$, what is $m\angle EGF$?

- 1) 11°
- 2) 43°
- 3) 75°
- 4) 105°




8. In the diagram below, $\overline{FAD} \parallel \overline{EHC}$, and \overline{ABH} and \overline{BC} are drawn. If $m\angle FAB = 48^\circ$ and $m\angle ECB = 18^\circ$, what is $m\angle ABC$?



9. As shown in the diagram below, $\overleftrightarrow{ABC} \parallel \overleftrightarrow{EFG}$ and $\overline{BF} \cong \overline{EF}$.

If $m\angle CBF = 42.5^\circ$, then $m\angle EBF$ is


- 1) 42.5°
- 2) 68.75°
- 3) 95°
- 4) 137.5°



10. In the diagram below, $\overline{AB} \parallel \overline{DEF}$, \overline{AE} and \overline{BD} intersect at C , $m\angle B = 43^\circ$, and $m\angle CEF = 152^\circ$.

Which statement is true?


- 1) $m\angle D = 28^\circ$
- 2) $m\angle A = 43^\circ$
- 3) $m\angle ACD = 71^\circ$
- 4) $m\angle BCE = 109^\circ$



11. In the diagram below, \overline{DE} divides \overline{AB} and \overline{AC} proportionally, $m\angle C = 26^\circ$, $m\angle A = 82^\circ$, and \overline{DF} bisects $\angle BDE$.

The measure of angle DFB is


- 1) 36°
- 2) 54°
- 3) 72°
- 4) 82°



12. In the diagram below of parallelogram $ROCK$, $m\angle C$ is 70° and $m\angle ROS$ is 65° .

What is $m\angle KSO$?


- 1) 45°
- 2) 110°
- 3) 115°
- 4) 135°



13. In the diagram below, $ABCD$ is a parallelogram, \overline{AB} is extended through B to E , and \overline{CE} is drawn.

If $\overline{CE} \cong \overline{BE}$ and $m\angle D = 112^\circ$, what is $m\angle E$?


- 1) 44°
- 2) 56°
- 3) 68°
- 4) 112°




14. In the diagram of parallelogram $FRED$ shown below. \overline{ED} is extended to A , and \overline{AF} is drawn such that $\overline{AF} \cong \overline{DF}$.

If $m\angle R = 124^\circ$, what is $m\angle AFD$?


- 1) 124°
- 2) 112°
- 3) 68°
- 4) 56°




15. In parallelogram $ABCD$ shown below, the bisectors of $\angle ABC$ and $\angle DCB$ meet at E , a point on \overline{AD} . If $m\angle A = 68^\circ$, determine and state $m\angle BEC$.




16. In the diagram below of parallelogram $ABCD$, diagonal \overline{BD} and \overline{EF} are drawn, $\overline{EF} \perp \overline{DC}$, $m\angle DAB = 111^\circ$, and $m\angle DBC = 39^\circ$. What is $m\angle DEF$?




17. In the diagram below, point E is located inside square $ABCD$ such that $\triangle ABE$ is equilateral, and \overline{CE} is drawn. What is $m\angle BEC$?



18. Quadrilateral $EBCF$ and \overline{AD} are drawn below, such that $ABCD$ is a parallelogram, $\overline{EB} \cong \overline{FB}$, and $\overline{EF} \perp \overline{FH}$. If $m\angle E = 62^\circ$ and $m\angle C = 51^\circ$, what is $m\angle FHB$?




19. Trapezoid $ABCD$, where $\overline{AB} \parallel \overline{CD}$, is shown below. Diagonals \overline{AC} and \overline{DB} intersect \overline{MN} at E , and $\overline{AD} \cong \overline{AE}$. If $m\angle DAE = 35^\circ$, $m\angle DCE = 25^\circ$, and $m\angle NEC = 30^\circ$, determine and state $m\angle ABD$.



Isosceles Triangles with Vocabulary

Isosceles triangles have congruent sides opposite congruent angles. The congruent angles are called base angles and the non-congruent angle is called the vertex angle.

The angles of a triangle add to equal 180° .




1. In $\triangle XYZ$, $\angle X$ and $\angle Z$ are the base angles. If $m\angle Z = 41^\circ$, find the measure of $\angle Y$.
2. In $\triangle PQR$, $\angle Q$ is the vertex angle. If $\angle Q = 94^\circ$, find the measure of $\angle P$.
3. An isosceles triangle has a base angle of 40° . What is the measure of the vertex angle?
4. An isosceles triangle has a vertex angle of 46° . What is the measure of one of the base angles?

5. The measure of one of the base angles of an isosceles triangle is 42° . The measure of an exterior angle at the vertex of the triangle is

- | | |
|---------------|----------------|
| 1) 42° | 3) 96° |
| 2) 84° | 4) 138° |

6. In $\triangle ABC$, $\angle A$ and $\angle C$ are the base angles. Find \overline{BC}



7. In $\triangle DEF$, $\angle F$ is the vertex angle. If $\overline{DF} = 5x + 4$, $\overline{DE} = 12x - 4$, and $\overline{EF} = 7x$, find \overline{DE} .


8. In triangle CEM , $CE = 3x + 10$, $ME = 5x - 14$, and $CM = 2x - 6$. Determine and state the value of x that would make CEM an isosceles triangle with the vertex angle at E .

Largest/Smallest Sides/Angles in a Triangle

The largest side is opposite the largest angle

The smallest side is opposite the smallest angle

1. What is the largest angle of $\triangle ROY$? What is the smallest angle of $\triangle ROY$?



2. In triangle SPY, $m\angle S = 35^\circ$ and $m\angle Y = 70^\circ$. What is the largest side of triangle SPY?

3. In $\triangle ABC$, $m\angle A = 45$, $m\angle B = 60$ and $m\angle C = 75$. What is the largest side of $\triangle ABC$?
What is the smallest side of $\triangle ABC$?

4. In $\triangle CAT$, $m\angle C = 65$, $m\angle A = 40$, and B is a point on side \overline{CA} , such that $\overline{TB} \perp \overline{CA}$. Which line segment is shortest?

- 1) \overline{CT}
- 2) \overline{BC}
- 3) \overline{TB}
- 4) \overline{AT}

5. In $\triangle ABC$, $\angle A \cong \angle B$ and $\angle C$ is an obtuse angle. Which statement is true?

- 1) $\overline{AC} \cong \overline{AB}$ and \overline{BC} is the longest side.
- 2) $\overline{AC} \cong \overline{BC}$ and \overline{AB} is the longest side.
- 3) $\overline{AC} \cong \overline{AB}$ and \overline{BC} is the shortest side.
- 4) $\overline{AC} \cong \overline{BC}$ and \overline{AB} is the shortest side.

6. In $\triangle ABC$, $m\angle A = 60$, $m\angle B = 80$, and $m\angle C = 40$. Which inequality is true?

- 1) $\overline{AB} > \overline{BC}$
- 2) $\overline{AC} > \overline{BC}$
- 3) $\overline{AC} < \overline{BA}$
- 4) $\overline{BC} < \overline{BA}$


7. In $\triangle ABC$, side \overline{BC} is extended through C to D . If $m\angle A = 30^\circ$ and $m\angle ACD = 110^\circ$, what is the longest side of $\triangle ABC$?

- | | |
|--------------------|--------------------|
| 1) \overline{AC} | 3) \overline{AB} |
| 2) \overline{BC} | 4) \overline{CD} |

8. In the diagram of quadrilateral $NAVY$ below, $m\angle YNA = 30^\circ$, $m\angle YAN = 38^\circ$, $m\angle AVY = 94^\circ$, and $m\angle VAY = 46^\circ$.

Which segment has the shortest length?

- | | |
|--------------------|--------------------|
| 1) \overline{AY} | 3) \overline{VA} |
| 2) \overline{NY} | 4) \overline{VY} |





Euclidean Proofs:

If it is not specified, prove triangles are congruent

To prove triangles are congruent, prove 3 pairs of sides/angles are congruent

To prove segments or angles, use CPCTC

*If you get stuck, make something up and keep on going!

1) Do a mini proof with your givens

Altitude creates two congruent right angles

Median creates two congruent segments

Line bisector creates two congruent segments

Midpoint creates two congruent segments

Angle bisector creates two congruent angles

Perpendicular lines create two congruent right angles

Parallel lines cut by a transversal create

Congruent corresponding angles (1 in, 1 out) OR congruent alternate interior angles (2 out) OR

congruent alternate exterior angles (2 out)

*Perpendicular bisector is perpendicular and line bisector (1 pair of congruent right angles, 1 pair of congruent segs)

*If segments bisect each other, they are both cut in half (2 pairs of congruent segments)

2) Use additional tools:

Vertical Angles are congruent (Look for an X)

Reflexive Property (A side/angle is in both triangles and is congruent to itself)


Isosceles Triangles (In a triangle, congruent angles are opposite congruent sides)

Addition and Subtraction Property (If you need more or less of a shared side)

*You must use three congruent statements to get one congruent statement for the triangles. The two that you are adding/subtracting and the one that you want to prove in the triangle.

7. Given: $UL \cong TE$
Prove: $UT \cong LE$

STATEMENTS	REASONS
① $UL \cong TE$	① Given
② $UL \cong UL$	② reflexive property
③ $UT \cong LE$	③ subtraction property



Parallelogram Theorems	Circle Theorems (Look for inscribed angles)
A parallelogram/rectangle/rhombus/square has: Two pairs of opposite sides congruent Two pairs of opposite sides parallel Diagonals that bisect each other Opposite angles congruent	Angles inscribed to the same arc are congruent An angle inscribed to a semicircle is a right angle A tangent and a radius/diameter form a right angles
A rectangle/square has: Congruent right angles Congruent diagonals	All radii/diameters of a circle are congruent Congruent arcs have congruent chords have congruent central angles
A rhombus/square has: All sides congruent Perpendicular diagonals Diagonals that bisect the angles	Parallel Lines intercept congruent arcs Tangents drawn from the same point are congruent

To prove triangles are SIMILAR, prove AA \cong AA

If asked to prove a proportion/multiplication:

1) Prove triangles are similar

2) Corresponding Sides of Similar Triangle are In Proportion (CSSTIP)

3) Cross Products are Equal

Work Backwards!

$$\begin{aligned} & \textcircled{3} \triangle AED \sim \triangle CEB \\ & \textcircled{1} \frac{AE}{ED} = \frac{CE}{EB} \\ & \textcircled{2} AE \cdot EB = CE \cdot ED \end{aligned}$$

$$\begin{aligned} & \textcircled{3} AA \cong AA \\ & \textcircled{1} CSSTIP \\ & \textcircled{2} \text{Cross products are equal} \end{aligned}$$

Euclidean Proofs (Basic)

If it is not specified, prove triangles are congruent

To prove triangles are congruent, prove 3 pairs of sides/angles are congruent

To prove segments or angles, use CPCTC

*If you get stuck, make something up and keep on going!



1) Do a mini proof with your givens

Altitude creates congruent right angles

Median creates congruent segments

Line bisector creates congruent segments

Midpoint creates congruent segments

Angle bisector creates congruent angles

Perpendicular lines create congruent right angles

When given parallel lines:

Corresponding angles are congruent OR Alternate interior angles are congruent OR


Alternate exterior angles are congruent

2) Use additional tools:


Vertical Angles are congruent (Look for an X)

Reflexive Property (A side/angle is congruent to itself)


1. Given: \overline{GE} is an altitude




2. Given: \overline{ON} bisects $\angle TNM$




3. Given: A is the midpoint of \overline{DV}




4. Given: \overline{CS} bisects \overline{TA}




5. Given: \overline{KM} bisects $\angle SKI$




6. \overline{CK} is a median




7. Given: $\overline{SE} \parallel \overline{RB}$




8. Given: $\overline{IK} \perp \overline{PN}$




9. Given: U is the midpoint of \overline{BF}




10. Given: $\overline{IE} \parallel \overline{RN}$




11. Given: C is the midpoint of \overline{AE}




12. Given: $\overline{AK} \perp \overline{DR}$




13. Given: \overline{CT} bisects $\angle ATO$




14. Given: \overline{YO} is a median




15. Given: \overline{KA} is an altitude




16. Given: $\overline{CL} \parallel \overline{HA}$




17. Given: \overline{KA} bisects \overline{PR}






Reflexive Property and Vertical Angles


1. Given: None
Prove: $\triangle LNM \cong \triangle LNK$



2. Given: None
Prove: $\triangle DBA \cong \triangle DBC$




3. Given: None
Prove: $\triangle BDE \sim \triangle BAC$




4. Given: None
Prove: $\triangle ABC \sim \triangle ADE$




5. Given: None
 Prove: $\triangle AEB \cong \triangle BDA$




6. Given: None
 Prove: $\triangle SAE \cong \triangle RAB$




7. Given: None
 Prove: $\triangle TAE \cong \triangle CAH$



8. Given: None
 Prove: $\triangle SBA \cong \triangle EBR$













9. Given: None
 Prove: $\triangle BAF \cong \triangle DAE$





Methods for Proving Triangles are Congruent




Congruent Triangle Methods with Sequences of Rigid Motions

If a sequence of rigid motions is performed, the image is CONGRUENT to the original!

1. Which statement is sufficient evidence that $\triangle DEF$ is congruent to $\triangle ABC$?

- 1) $AB = DE$ and $BC = EF$
- 2) $\angle D \cong \angle A$, $\angle B \cong \angle E$, $\angle C \cong \angle F$
- 3) There is a sequence of rigid motions that maps \overline{AB} onto \overline{DE} , \overline{BC} onto \overline{EF} , and \overline{AC} onto \overline{DF} .
- 4) There is a sequence of rigid motions that maps point A onto point D , \overline{AB} onto \overline{DE} , and $\angle B$ onto $\angle E$.



2. Triangles YEG and POM are two distinct non-right triangles such that $\angle G \cong \angle M$. Which statement is sufficient to prove $\triangle YEG$ is always congruent to $\triangle POM$?

- 1) $\angle E \cong \angle O$ and $\angle Y \cong \angle P$
- 2) $\overline{YG} \cong \overline{PM}$ and $\overline{YE} \cong \overline{PO}$
- 3) There is a sequence of rigid motions that maps $\angle E$ onto $\angle O$ and \overline{YE} onto \overline{PO} .
- 4) There is a sequence of rigid motions that maps point Y onto point P and \overline{YG} onto \overline{PM} .


3. In the two distinct acute triangles ABC and DEF , $\angle B \cong \angle E$. Triangles ABC and DEF are congruent when there is a sequence of rigid motions that maps

- 1) $\angle A$ onto $\angle D$, and $\angle C$ onto $\angle F$
- 2) \overline{AC} onto \overline{DF} , and \overline{BC} onto \overline{EF}
- 3) $\angle C$ onto $\angle F$, and \overline{BC} onto \overline{EF}
- 4) point A onto point D , and \overline{AB} onto \overline{DE}




Proving Triangles are Congruent


1. Given: \overline{BD} bisects $\angle ADC$
 $\overline{AD} \cong \overline{DC}$
 Prove: $\overline{AB} \cong \overline{BC}$




2. Given: $\overline{HN} \perp \overline{KA}$, $\overline{KN} \cong \overline{AN}$
 Prove: $\angle HAN \cong \angle HKN$



3. Given: \overline{NO} and \overline{HA} bisect each other
 Prove: $\overline{NA} \cong \overline{HO}$



4. Given: $\overline{IE} \parallel \overline{RN}$, $\overline{TR} \perp \overline{RN}$, $\overline{HS} \perp \overline{IE}$, $\overline{EH} \cong \overline{AT}$
 Prove: $\overline{SH} \cong \overline{RT}$





Euclidean Similar Triangle Proofs


To prove triangles are SIMILAR, prove $AA \cong AA$

If asked to prove a proportion/multiplication:

- 1) Prove triangles are similar
- 2) Corresponding Sides of Similar Triangle are In Proportion (CSSTIP)
- 3) Cross Products are Equal

Work Backwards!


1. Given $\overline{AB} \parallel \overline{DC}$
 Prove: $\overline{DC} \cdot \overline{EB} = \overline{AB} \cdot \overline{DE}$



2. Given: $\overline{BC} \perp \overline{AC}$
 $\overline{DE} \perp \overline{AB}$
 Prove: $\overline{AC} \cdot \overline{AD} = \overline{AE} \cdot \overline{AB}$




3. Given: $\angle HCE \cong \angle LIE$
 Prove: $\overline{CE} \cdot \overline{IL} = \overline{CH} \cdot \overline{EI}$




4. Given: $\overline{UO} \perp \overline{RG}$, $\overline{UR} \perp \overline{EG}$

Prove: $\frac{\overline{US}}{\overline{SO}} = \frac{\overline{EU}}{\overline{OG}}$




5. Given: \overline{CA} bisects $\angle BAD$, $\angle ABC \cong \angle ADE$

Prove: $\overline{BC} \cdot \overline{AE} = \overline{DE} \cdot \overline{AC}$




6. In $\triangle SCU$ shown below, points T and O are on \overline{SU} and \overline{CU} , respectively. Segment OT is drawn so that $\angle C \cong \angle OTU$.

Prove: $\overline{SC} \cdot \overline{OU} = \overline{OT} \cdot \overline{SU}$













7. Given: $\overline{AB} \cong \overline{AC}$, $\overline{AF} \perp \overline{BC}$, $\overline{PD} \perp \overline{AB}$

Prove: $\overline{FC} \cdot \overline{PB} = \overline{DB} \cdot \overline{AC}$






Euclidean Proofs with Parallelogram and Circle Theorems

Parallelogram Theorems	Circle Theorems
<p>Parallelogram Properties</p> <div style="display: flex; justify-content: space-around;"> <div style="width: 45%;">  <p>Two pairs of opposite sides are congruent.</p>  <p>Two pairs of opposite sides are parallel.</p>  <p>Two pairs of opposite angles are congruent.</p>  <p>Diagonals bisect each other.</p>  <p>One pair of opposite sides are congruent and parallel.</p> </div> <div style="width: 45%;">  <p>A right angle (consecutive sides perpendicular)</p>  <p>Congruent diagonals</p>  <p>Diagonals are perpendicular to each other</p>  <p>Diagonals bisect the angles</p>  <p>Consecutive sides are congruent</p> </div> </div>	<p>All radii/diameters of a circle are congruent</p> <p>Angles inscribed to the same arc are congruent</p> <p>An angle inscribed to a semicircle is a right angle</p> <p>A tangent and a radius/diameter form a right angle</p> <p>Congruent arcs have congruent chords have congruent central angles</p> <p>Parallel Lines intercept congruent arcs</p> <p>Tangents drawn from the same point are congruent</p>


1. Given: ABCD is a parallelogram

Prove: $\triangle AED \cong \triangle CEB$




2. Given: ABCD is a rectangle, M is the midpoint of \overline{AC}

Prove: $\overline{DM} \cong \overline{BM}$




3. Given: ABCD is a rhombus, $\overline{AE} \cong \overline{CE}$


Prove: $\angle ADE \cong \angle CDE$




4. Given: SPIN is a square
 Prove: $\triangle SNI \cong \triangle SPI$




5. Given: ABCD is a square, $\overline{FA} \cong \overline{AE}$
 Prove: $\overline{BF} \cong \overline{DE}$




6. Given: Parallelogram ABCD, \overline{EFG} , and diagonal \overline{DFB}
 Prove: $\triangle DEF \sim \triangle BGF$




7. In parallelogram ABCD, \overline{BF} and \overline{DE} are perpendicular to diagonal \overline{AC} at points F and E.
 Prove: $\overline{AE} \cong \overline{CF}$




8. Given: Chords \overline{AD} and \overline{BC} of circle O intersect at E, $\overline{AB} \cong \overline{CD}$
 Prove: $\overline{BC} \cong \overline{AD}$



9. Given: Circle O with diameters \overline{MOT} and \overline{AOH} .
 Prove: $\overline{MA} \cong \overline{HT}$




10. In circle Y, tangent \overline{LE} is drawn to diameter \overline{TYL}
 and $\overline{YR} \perp \overline{TE}$. Prove that $\frac{\overline{TE}}{\overline{TY}} = \frac{\overline{TL}}{\overline{TR}}$.




11. In the diagram below, secant \overline{ACD} and tangent \overline{AB} are drawn from external point A to circle O .

Prove the theorem: If a secant and a tangent are drawn to a circle from an external point, the product of the lengths of the secant segment and its external segment equals the length of the tangent segment squared. ($AC \cdot AD = AB^2$)



12. Given: Circle O , chords \overline{AB} and \overline{CD} intersect at E

Theorem: If two chords intersect in a circle, the product of the lengths of the segments of one chord is equal to the product of the lengths of the segments of the other chord. Prove this theorem by proving $AE \cdot EB = CE \cdot ED$.






Isosceles Triangle Theorem Mini Proofs

In a triangle, congruent angles are opposite congruent sides

If the given sides/angles are not sides/angles of the triangles you are trying to prove, check to see if they make an isosceles triangle. Conclude the sides/angles opposite the ones you are given.


1. Given: $\angle ABC \cong \angle ACB$

Prove: $\triangle ADB \cong \triangle ADC$




2. Given: $\overline{CA} \cong \overline{CB}$

Prove: $\triangle ADM \cong \triangle BEM$



3. Given: $\overline{MN} \cong \overline{NT}$, $\angle ROS \cong \angle RSO$

Prove: $\triangle MOR \cong \triangle TSR$






Addition/Subtraction Mini Proofs

Addition and Subtraction Property (If you need more or less of a shared side)

*You must use three congruent statements to get one congruent statement for the triangles. The two that you are adding/subtracting and the one that you want to prove in the triangle.

7. Given: $\overline{UL} \cong \overline{TE}$
 Prove: $\overline{UT} \cong \overline{LE}$

STATEMENTS	REASONS
① $\overline{UL} \cong \overline{TE}$	① Given
② $\overline{TL} \cong \overline{TL}$	② reflexive property
③ $\overline{UT} \cong \overline{LE}$	③ subtraction property



1. Given: $\overline{AB} \cong \overline{CD}$

Prove: $\overline{AC} \cong \overline{BD}$




2. Given: $\overline{AC} \cong \overline{BD}$

Prove: $\overline{AB} \cong \overline{CD}$




3. Given: $\angle EIN \cong \angle HIC$

Prove: $\angle EIC \cong \angle HIN$




4. Given: $\angle EIC \cong \angle HIN$


Prove: $\angle EIN \cong \angle HIC$




5. Given: $\angle TLA \cong \angle TYO$, $\angle ALY \cong \angle OYL$
 Prove: $\angle TLY \cong \angle TYL$




6. Given: $\overline{MN} \cong \overline{NE}$, $\overline{ON} \cong \overline{KE}$
 Prove: $\overline{MO} \cong \overline{KN}$



7. Given: $\overline{UL} \cong \overline{TE}$
 Prove: $\overline{UT} \cong \overline{LE}$



8. Given: $\overline{WN} \cong \overline{RE}$
 Prove: $\overline{WR} \cong \overline{NE}$





Euclidean Triangle Proofs with Additional Tools

Vertical Angles are congruent (Look for an X)

Reflexive Property (A side/angle is congruent to itself)


Isosceles Triangles (In a triangle, congruent angles are opposite congruent sides)

Addition and Subtraction Property (If you need more or less of a shared side)


*You must use three congruent statements to get one congruent statement for the triangles. The two that you are adding/subtracting and the one that you want to prove in the triangle.

7. Given: $\overline{UL} \cong \overline{TE}$
Prove: $\overline{UT} \cong \overline{LE}$

STATEMENTS	REASONS
① $\overline{UL} \cong \overline{TE}$	① Given
② $\overline{UL} \cong \overline{UL}$	② reflexive property
③ $\overline{UT} \cong \overline{LE}$	③ subtraction property




1. Given: $\overline{QV} \cong \overline{UZ}$, $\overline{VW} \cong \overline{YZ}$, $\overline{YQ} \cong \overline{WU}$
Prove: $\angle Q \cong \angle U$




2. Given: $\angle ABC \cong \angle ACB$, \overline{AD} bisects $\angle BAC$

Prove: $\overline{BD} \cong \overline{DC}$




3. Given: $\angle B \cong \angle S$, $\overline{AB} \parallel \overline{ST}$, $\overline{AR} \cong \overline{TC}$


Prove: $\overline{BC} \cong \overline{SR}$




4. Given: In $\triangle ABC$, $\overline{CA} \cong \overline{CB}$, $\overline{AR} \cong \overline{BS}$, $\overline{DR} \perp \overline{AC}$,
and $\overline{DS} \perp \overline{BC}$
Prove: $\overline{DR} \cong \overline{DS}$



5. Given: $\overline{DO} \perp \overline{OA}$, $\overline{TA} \perp \overline{OA}$, $\overline{DO} \cong \overline{TA}$, $\overline{OC} \cong \overline{AG}$
Prove: $\overline{DG} \cong \overline{TC}$



6. Given: $\overline{MN} \cong \overline{NT}$, $\angle ROS \cong \angle RSO$, $\angle ORM \cong \angle SRT$
Prove: $\triangle MOR \cong \triangle TSR$





Triangle Proofs Using CPCTC


Prove the triangles are congruent

Use CPCTC in order to get what you need in order to prove what you are being asked to prove.

1. Given: \overline{LN} bisects $\angle KLM$


$$\angle LKN \cong \angle LMK$$

Prove: N is the midpoint of \overline{MK}




2. Given: $\overline{HN} \perp \overline{KA}$, $\overline{KN} \cong \overline{AN}$

Prove: \overline{HN} bisects $\angle KNA$




3. Given: \overline{OF} is the perpendicular bisector of \overline{WL}

Prove: $\triangle WFL$ is isosceles




4. Given: \overline{SE} and \overline{AR} bisect each other.

Prove that $\overline{SA} \parallel \overline{RE}$




5. Isosceles trapezoid $ABCD$ has bases \overline{DC} and \overline{AB} with nonparallel legs \overline{AD} and \overline{BC} . Segments \overline{AE} , \overline{BE} , \overline{CE} , and \overline{DE} are drawn in trapezoid $ABCD$ such that $\angle CDE \cong \angle DCE$, $\overline{AE} \perp \overline{DE}$, and $\overline{BE} \perp \overline{CE}$.

Prove $\triangle ADE \cong \triangle BCE$ and prove $\triangle AEB$ is an isosceles triangle.




6. Given: $\overline{SC} \perp \overline{CL}$, $\overline{HA} \perp \overline{AN}$, $\overline{SY} \cong \overline{KN}$, and $\overline{SC} \cong \overline{AN}$.

Prove $\overline{CL} \parallel \overline{HA}$



7. In the diagram below, $\triangle ABE \cong \triangle CBD$. Prove: $\triangle AFD \cong \triangle CFE$






Euclidean Parallelogram Proofs/Parallelogram Properties

To prove parallelograms: Always prove parallelogram first. You will probably have to use congruent triangles with CPCTC to get at least one of the properties.

1. Quadrilateral $ABCD$ with diagonals \overline{AC} and \overline{BD} is shown in the diagram below.

Which information is *not* enough to prove $ABCD$ is a parallelogram?

- 1) $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{DC}$
- 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \cong \overline{DA}$
- 3) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \parallel \overline{AD}$
- 4) $\overline{AB} \parallel \overline{DC}$ and $\overline{BC} \parallel \overline{AD}$




2. Quadrilateral $ABCD$ has diagonals \overline{AC} and \overline{BD} . Which information is *not* sufficient to prove $ABCD$ is a parallelogram?

- 1) \overline{AC} and \overline{BD} bisect each other.
- 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \cong \overline{AD}$
- 3) $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{CD}$
- 4) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \parallel \overline{AD}$

3. Quadrilateral $BEST$ has diagonals that intersect at point D . Which statement would *not* be sufficient to prove quadrilateral $BEST$ is a parallelogram?

- 1) $\overline{BD} \cong \overline{SD}$ and $\overline{ED} \cong \overline{TD}$
- 2) $\overline{BE} \cong \overline{ST}$ and $\overline{ES} \cong \overline{TB}$
- 3) $\overline{ES} \cong \overline{TB}$ and $\overline{BE} \parallel \overline{TS}$
- 4) $\overline{ES} \parallel \overline{BT}$ and $\overline{BE} \parallel \overline{TS}$


4. In the diagram below, lines ℓ and m intersect lines n and p to create the shaded quadrilateral as shown.




Which congruence statement would be sufficient to prove the quadrilateral is a parallelogram?

- 1) $\angle 1 \cong \angle 6$ and $\angle 9 \cong \angle 14$
- 2) $\angle 5 \cong \angle 10$ and $\angle 6 \cong \angle 9$
- 3) $\angle 5 \cong \angle 7$ and $\angle 10 \cong \angle 15$
- 4) $\angle 6 \cong \angle 9$ and $\angle 9 \cong \angle 11$


5. Given: $\overline{SA} \cong \overline{BR}$, $\overline{AB} \cong \overline{SR}$
 Prove: SABR is a parallelogram




6. Given: $\angle 1 \cong \angle 2$, $\angle 3 \cong \angle 4$
 Prove: NRQW is a parallelogram




7. Given: E is the midpoint of \overline{SB} , $\overline{AE} \cong \overline{ER}$
 Prove: SABR is a parallelogram




8. Given: $\triangle ASR \cong \triangle RBA$
 Prove: SABR is a parallelogram




9. Given: Quadrilateral $ABCD$, diagonal \overline{AFEC} , $\overline{AE} \cong \overline{FC}$, $\overline{BF} \perp \overline{AC}$, $\overline{DE} \perp \overline{AC}$, $\angle 1 \cong \angle 2$
 Prove: $ABCD$ is a parallelogram.




10. Given: $WXRK$ is a parallelogram, $\overline{KW} \perp \overline{WX}$
 Prove: $WXRK$ is a rectangle




11. Given: $BDEG$ is a parallelogram, \overline{BF} bisects $\angle CBA$
 Prove: $DEGB$ is a rhombus




12. Given: $MILO$ is a rhombus, $\overline{ML} \cong \overline{IO}$
 Prove: $MILO$ is a square




13. In the diagram of parallelogram $ABCD$ below, $\overline{BE} \perp \overline{CED}$, $\overline{DF} \perp \overline{BFC}$, $\overline{CE} \cong \overline{CF}$. Prove $ABCD$ is a rhombus.




14. In quadrilateral $ABCD$, E and F are points on \overline{BC} and \overline{AD} , respectively, and \overline{BGD} and \overline{EGF} are drawn such that $\angle ABG \cong \angle CDG$, $\overline{AB} \cong \overline{CD}$, and $\overline{CE} \cong \overline{AF}$. Prove: $\overline{FG} \cong \overline{EG}$




15. In the diagram of quadrilateral $ABCD$ with diagonal \overline{AC} shown below, segments \overline{GH} and \overline{EF} are drawn, $\overline{AE} \cong \overline{CG}$, $\overline{BE} \cong \overline{DG}$, $\overline{AH} \cong \overline{CF}$, and $\overline{AD} \cong \overline{CB}$. Prove: $\overline{EF} \cong \overline{GH}$




16. Given: Parallelogram $ABCD$, $\overline{BF} \perp \overline{AFD}$, and $\overline{DE} \perp \overline{BEC}$
 Prove: $BEDF$ is a rectangle




17. Given: Quadrilateral $MATH$, $\overline{HM} \cong \overline{AT}$, $\overline{HT} \cong \overline{AM}$, $\overline{HE} \perp \overline{MEA}$, and $\overline{HA} \perp \overline{AT}$.
 Prove: $TA \bullet HA = HE \bullet TH$




18. Given: Quadrilateral $ABCD$, \overline{AC} and \overline{EF} intersect at H , $\overline{EF} \parallel \overline{AD}$, $\overline{EF} \parallel \overline{BC}$, and $\overline{AD} \cong \overline{BC}$. Prove: $(EH)(CH) = (FH)(AH)$



19. Given: Quadrilateral $ABCD$, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, diagonal \overline{AC} intersects \overline{EF} at G , and $\overline{DE} \cong \overline{BF}$. Prove: G is the midpoint of \overline{EF} .



20. In the diagram below of quadrilateral $FACT$, \overline{BR} intersects diagonal \overline{AT} at E , $\overline{AF} \parallel \overline{CT}$, and $\overline{AF} \cong \overline{CT}$. Prove $(AB)(TE) = (AE)(TR)$






Perpendicular Bisector Proofs Multiple Choice

Perpendicular bisector creates

-two pairs of congruent triangles so all of their corresponding parts are congruent due to CPCTC

-two isosceles triangles



The top 2 small triangles are congruent and the top big triangle is isosceles

The bottom 2 small triangles are congruent and the bottom big triangle is isosceles

1. In the diagram below of quadrilateral $ADBE$, \overline{DE} is the perpendicular bisector of \overline{AB} .


Which statement is always true?

1) $\angle ADC \cong \angle BDC$

3) $\overline{AD} \cong \overline{BE}$

2) $\angle EAC \cong \angle DAC$

4) $\overline{AE} \cong \overline{AD}$



2. Line segment EA is the perpendicular bisector of \overline{ZT} , and \overline{ZE} and \overline{TE} are drawn.


Which conclusion can *not* be proven?

1) \overline{EA} bisects angle ZET .

2) Triangle EZT is equilateral.

3) \overline{EA} is a median of triangle EZT .

4) Angle Z is congruent to angle T .



3. Segment CD is the perpendicular bisector of \overline{AB} at E . Which pair of segments does *not* have to be congruent?

1) $\overline{AD}, \overline{BD}$

2) $\overline{AC}, \overline{BC}$

3) $\overline{AE}, \overline{BE}$


4) $\overline{DE}, \overline{CE}$

4. In $\triangle ABC$, \overline{BD} is the perpendicular bisector of \overline{AC} . Based upon this information, which statements below can be proven?

- I. \overline{BD} is a median.
 - II. \overline{BD} bisects $\angle ABC$.
 - III. $\triangle ABC$ is isosceles.
- 1) I and II, only
 - 2) I and III, only
 - 3) II and III, only
 - 4) I, II, and III

5. In triangle MAH below, \overline{MT} is the perpendicular bisector of \overline{AH} . Which statement is *not* always true?

- 1) $\triangle MAH$ is isosceles.
- 2) $\triangle MAT$ is isosceles.
- 3) \overline{MT} bisects $\angle AMH$.
- 4) $\angle A$ and $\angle TMH$ are complementary.



6. Segment \overline{AB} is the perpendicular bisector of \overline{CD} at point M . Which statement is always true?

- 1) $\overline{CB} \cong \overline{DB}$
- 2) $\overline{CD} \cong \overline{AB}$
- 3) $\triangle ACD \sim \triangle BCD$
- 4) $\triangle ACM \sim \triangle BCM$




Calculating Distance

$$\text{Distance (Length)} = \sqrt{\Delta x^2 + \Delta y^2} = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$




Calculate the distance between the following sets of points. Express in simplest radical form


1. (5,1) and (2,5)




2. (9,1) and (1,-5)




3. (2,5) and (-1,8)




4. (3,1) and (9,0)




5. $(-4,1)$ and $(-1, 1)$




6. $(10,-1)$ and $(2, 4)$



7. $(-2,7)$ and $(3, 4)$




8. $(9,0)$ and $(-1, 5)$




Calculating Slope

$$\text{Slope} = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$$




No Slope




Calculate the slopes between the following sets of points. Express in simplest terms


1. (5,1) and (2,5)




2. (9,1) and (1,-5)




3. (3,10) and (-1,8)




4. (3,1) and (9,-1)




5. $(-2,1)$ and $(-4, -1)$




6. $(10,-1)$ and $(10, 4)$



7. $(8,2)$ and $(6,4)$



8. $(-3,1)$ and $(5,2)$





Coordinate Geometry Proofs

$$\text{Distance (Length)} = \sqrt{\Delta x^2 + \Delta y^2} = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$\text{Slope} = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$$

$$\text{Midpoint} = (\text{average } x, \text{average } y) = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$$

How do you prove...?

...an **isosceles triangle**? (2 Distances)

Two Congruent Sides

... a **right triangle**? (3 Distances)

Show the sides fit into Pythagorean Theorem

... a **parallelogram**? (4 Distances)

Two Pairs of Opposite Sides Congruent

... a **rhombus**? (4 Distances)

All Sides Congruent

... a **rectangle**? (6 Distances)

1) Two Pairs of Opposite Sides Congruent

2) Diagonals Congruent

... a **square**? (6 Distances)

1) All Sides Congruent

2) Diagonals Congruent

... a **trapezoid**? (4 Slopes)

1) 1 pair of opposite sides parallel

2) 1 pair of opposite sides not parallel


... an **isosceles trapezoid**? (4 Slopes, 2 Distances)

1) 1 pair of opposite sides parallel


2) 1 pair of opposite sides not parallel

3) Congruent Legs


1. Graph the quadrilateral MATH: M(-2, -3) A(-1, -1) T(4, 2) H(3, 0). Prove that MATH **IS** a parallelogram but is **NOT** a rectangle.




2. A triangle has vertices $A(-2, 4)$, $B(6, 2)$, and $C(1, -1)$. Prove that $\triangle ABC$ is an isosceles right triangle. [The use of the set of axes below is optional.]




3. Quadrilateral $PQRS$ has vertices $P(-2, 3)$, $Q(3, 8)$, $R(4, 1)$, and $S(-1, -4)$. Prove that $PQRS$ is a rhombus. Prove that $PQRS$ is *not* a square. [The use of the set of axes below is optional.]




4. The vertices of quadrilateral $MATH$ have coordinates $M(-4, 2)$, $A(-1, -3)$, $T(9, 3)$, and $H(6, 8)$. Prove that quadrilateral $MATH$ is a parallelogram. Prove that quadrilateral $MATH$ is a rectangle. [The use of the set of axes below is optional.]




5. Triangle ABC has vertices with coordinates $A(-1, -1)$, $B(4, 0)$, and $C(0, 4)$. Prove that $\triangle ABC$ is an isosceles triangle but *not* an equilateral triangle. [The use of the set of axes below is optional.]




6. Quadrilateral ABCD has vertices A(3,1) B(-3,5) C(5,4) and D(2,6). Prove quadrilateral ABCD is a trapezoid but *not* an isosceles trapezoid.




7. In the coordinate plane, the vertices of $\triangle RST$ are $R(6,-1)$, $S(1,-4)$, and $T(-5,6)$. Prove that $\triangle RST$ is a right triangle. State the coordinates of point P such that quadrilateral $RSTP$ is a rectangle. Prove that your quadrilateral $RSTP$ is a rectangle. [The use of the set of axes below is optional.]




8. In the coordinate plane, the vertices of triangle PAT are $P(-1, -6)$, $A(-4, 5)$, and $T(5, -2)$. Prove that $\triangle PAT$ is an isosceles triangle. [The use of the set of axes below is optional.] State the coordinates of R so that quadrilateral $PART$ is a parallelogram. Prove that quadrilateral $PART$ is a parallelogram.




9. Given: $\triangle ABC$ with vertices $A(-6, -2)$, $B(2, 8)$, and $C(6, -2)$. \overline{AB} has midpoint D , \overline{BC} has midpoint E , and \overline{AC} has midpoint F .
 Prove: $ADEF$ is a parallelogram
 $ADEF$ is *not* a rhombus
 [The use of the grid is optional.]




10. The vertices of rectangle NRQW are $N(-2,5)$, $R(2,5)$, $Q(2,-3)$, and $W(-2,-3)$. If A is the midpoint of \overline{NR} , B is the midpoint of \overline{RQ} , C is the midpoint of \overline{QW} , and D is the midpoint of \overline{WN} , prove that ABCD is a rhombus.




11. In the coordinate plane, the vertices of triangle ABC are $A(0,10)$, $B(5,0)$ and $C(8,4)$. Prove that Triangle ABC is a right triangle. State the coordinates of point P such that quadrilateral ABCP is a rectangle. Prove that your quadrilateral ABCP is a rectangle.



12. The coordinates of the vertices of $\triangle ABC$ are $A(1, 2)$, $B(-5, 3)$, and $C(-6, -3)$. Prove that $\triangle ABC$ is isosceles. State the coordinates of point D such that quadrilateral $ABCD$ is a square. Prove that your quadrilateral $ABCD$ is a square. [The use of the set of axes below is optional.]



13. The coordinates of the vertices of $\triangle ABC$ are $A(-2, 4)$, $B(-7, -1)$, and $C(-3, -3)$. Prove that $\triangle ABC$ is isosceles. State the coordinates of $\triangle A'B'C'$, the image of $\triangle ABC$, after a translation 5 units to the right and 5 units down. Prove that quadrilateral $AA'C'C$ is a rhombus. [The use of the set of axes below is optional.]




14. Given: Triangle DUC with coordinates $D(-3, -1)$, $U(-1, 8)$, and $C(8, 6)$

Prove: $\triangle DUC$ is a right triangle

Point U is reflected over \overline{DC} to locate its image point, U' , forming quadrilateral $DUCU'$.

Prove quadrilateral $DUCU'$ is a square.

[The use of the set of axes below is optional.]




Coordinate Geometry Applications

Slope: $m = \frac{\Delta y}{\Delta x}$

Distance: $d = \sqrt{\Delta x^2 + \Delta y^2}$


1. A quadrilateral has vertices with coordinates $(-3, 1)$, $(0, 3)$, $(5, 2)$, and $(-1, -2)$. Which type of quadrilateral is this?

- 1) rhombus
- 2) rectangle
- 3) square
- 4) trapezoid



2. Quadrilateral ABCD has coordinates $A(2,0)$, $B(6,-4)$, $C(10,0)$, and $D(6,4)$. ABCD *cannot* be


- 1) rhombus
- 2) rectangle
- 3) square
- 4) trapezoid



3. On the set of axes below, the coordinates of three vertices of trapezoid ABCD are $A(2, 1)$, $B(5, 4)$, and $D(-2, 3)$.


Which point could be vertex C?

- | | |
|--------------|--------------|
| 1) $(1, 5)$ | 3) $(-1, 6)$ |
| 2) $(4, 10)$ | 4) $(-3, 8)$ |




4. Parallelogram $ABCD$ has coordinates $A(0, 7)$ and $C(2, 1)$. Which statement would prove that $ABCD$ is a rhombus?

- 1) The midpoint of \overline{AC} is $(1, 4)$.
- 2) The length of \overline{BD} is $\sqrt{40}$.
- 3) The slope of \overline{BD} is $\frac{1}{3}$.
- 4) The slope of \overline{AB} is $\frac{1}{3}$.




5. Parallelogram $QRST$ has coordinates $Q(-3, 2)$ and $S(6, 0)$. Which statement would prove that $QRST$ is a rectangle?

- 1) The slope of \overline{RT} is $\frac{9}{2}$
- 2) The length of \overline{RT} is $\sqrt{85}$
- 3) The midpoint of \overline{RT} is $(1.5, 1)$
- 4) $\overline{QR} \cong \overline{ST}$




6. The diagonals of rhombus $TEAM$ intersect at $P(2, 1)$. If the equation of the line that contains diagonal \overline{TA} is $y = -x + 3$, what is the equation of a line that contains diagonal \overline{EM} ?


- 1) $y = x - 1$
- 2) $y = x - 3$
- 3) $y = -x - 1$
- 4) $y = -x - 3$



7. Square PQRS has diagonal \overline{PR} with P(-3,6) and R(1,2). Find the coordinates of Q and S.




8. In square GEOM, the coordinates of G are (2,-2) and the coordinates of O are (-4,2). Determine and state the coordinates of vertices E and M.




9. Rectangle ABCD has two vertices at coordinates A(-1,-3) and B(6,5). The slope of \overline{BC} is

- 1) $-\frac{7}{8}$
- 2) $\frac{7}{8}$
- 3) $-\frac{8}{7}$
- 4) $\frac{8}{7}$



10. Triangle RST has vertices with coordinates R(-3,-2), S(3,2) and T(4,-4). Determine and state an equation of the line that passes through point S and is parallel to \overline{RT} .



Pythagorean Theorem


Look out for hidden right triangles where you may need to use $a^2 + b^2 = c^2$

a and b are the legs


c is the hypotenuse

Find the missing side of each right triangle rounding to the nearest tenth if necessary


1.




2.




3.




4.



5.




6.



Ratios


If you see a ratio, put an x behind each number!

1. Right triangle STR is shown below, with $m\angle T = 90^\circ$. Altitude \overline{TQ} is drawn to \overline{SR} , and $TQ = 8$. If the ratio $SQ:QR$ is 1:4, determine and state the length of \overline{SR} .




2. Circle O is drawn below with secant \overline{BCD} . The length of tangent \overline{AD} is 24. If the ratio of $DC:CB$ is 4:5, what is the length of \overline{CB} ?

- 1) 36
- 2) 20
- 3) 16
- 4) 4



3. The ratio of the measures of the angles of a triangle is 2:3:5. Find the measure of the *smallest* angle of the triangle.


4. In the diagram below, quadrilateral $ABCD$ is inscribed in circle O , and $m\widehat{CD}:m\widehat{DA}:m\widehat{AB}:m\widehat{BC} = 2:3:5:5$. Determine and state $m\angle B$.




Perimeter of a Rhombus

Diagonals bisect each other and are perpendicular.

- 1) Cut the diagonals in half to get sides of the right triangle.
- 2) Use Pythagorean Theorem to find the side of the rhombus
- 3) Multiply the side by 4 to find the perimeter of the rhombus



1. In the diagram of rhombus $PQRS$ below, the diagonals \overline{PR} and \overline{QS} intersect at point T , $PR = 16$, and $QS = 30$. Determine and state the perimeter of $PQRS$.



2. A rhombus has diagonals that measure 6 and 8. Find the perimeter of the rhombus.
3. A rhombus has diagonals that measure 10 and 24. Find the perimeter of the rhombus.
4. In parallelogram $ABCD$ with $\overline{AC} \perp \overline{BD}$, $AC = 12$ and $BD = 16$. What is the perimeter of $ABCD$?
 - 1) 10
 - 2) 24
 - 3) 40
 - 4) 56



**Common Core High School Math Reference Sheet
(Algebra I, Geometry, Algebra II)**

CONVERSIONS

1 inch = 2.54 centimeters	1 kilometer = 0.62 mile	1 cup = 8 fluid ounces
1 meter = 39.37 inches	1 pound = 16 ounces	1 pint = 2 cups
1 mile = 5280 feet	1 pound = 0.454 kilograms	1 quart = 2 pints
1 mile = 1760 yards	1 kilogram = 2.2 pounds	1 gallon = 4 quarts
1 mile = 1.609 kilometers	1 ton = 2000 pounds	1 gallon = 3.785 liters
		1 liter = 0.264 gallon
		1 liter = 1000 cubic centimeters

FORMULAS

Triangle	$A = \frac{1}{2}bh$	Pythagorean Theorem	$a^2 + b^2 = c^2$
Parallelogram	$A = bh$	Quadratic Formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Circle	$A = \pi r^2$	Arithmetic Sequence	$a_n = a_1 + (n - 1)d$
Circle	$C = \pi d$ or $C = 2\pi r$	Geometric Sequence	$a_n = a_1 r^{n-1}$
General Prisms	$V = Bh$	Geometric Series	$S_n = \frac{a_1 - a_1 r^n}{1 - r}$ where $r \neq 1$
Cylinder	$V = \pi r^2 h$	Radians	1 radian = $\frac{180}{\pi}$ degrees
Sphere	$V = \frac{4}{3}\pi r^3$	Degrees	1 degree = $\frac{\pi}{180}$ radians
Cone	$V = \frac{1}{3}\pi r^2 h$	Exponential Growth/Decay	$A = A_0 e^{k(t-t_0)} + B_0$
Pyramid	$V = \frac{1}{3}Bh$		