


Name Schlansky
Mr. Schlansky

Date _____
Algebra II

Functions Review Sheet

1. The function $v(x) = x(3-x)(x+4)$ models the volume, in cubic inches, of a rectangular solid for $0 \leq x \leq 3$. To the nearest tenth of a cubic inch, what is the maximum volume of the rectangular solid?


$x_{min}: 0$
 $x_{max}: 3$



2. A manufacturer of sweatshirts finds that profits and costs fluctuate depending on the number of products created. The manufacturer determines the profit, $p(x)$, in thousands of dollars, as a function of the number of sweatshirts sold, x , in thousands. This function, p , is given below. Over the interval $0 \leq x \leq 9$, state the maximum profit and round to the nearest integer.

$p(x) = -x^3 + 11x^2 - 7x - 69$

2nd Trace, Maximum




3. Over which intervals is the graph of $f(x) = -x^4 + 15x^2 - 7$ strictly decreasing?

- 1) $(-2.7, 0)$ ✓
- 2) $(-\infty, -2.5)$ ✗
- 3) $(2.5, \infty)$ ✗
- 4) $(-1.4, 1.2)$ ✗



4. Over which intervals is the graph of $f(x) = x^3 + 8x^2 + 3x - 8$ strictly decreasing?

- 1) $(-6, 0)$ ✗
- 2) $(-\infty, -6)$ ✗
- 3) $(-2, \infty)$ ✗
- 4) $(-5.1, -2)$ ✓



41 42 Intersect

5. Which value, to the nearest tenth, is an approximate solution for the equation $f(x) = g(x)$, if

$f(x) = \frac{5}{x-3}$ and $g(x) = 2(1.3)^x$?

- 1) 3.2
- 2) 3.9
- 3) 4.0
- 4) 5.6

6. If $p(x) = 2\ln(x) - 1$ and $m(x) = \ln(x + 6)$, then what is the solution for $p(x) = m(x)$?

- 1) 1.65
- 2) 3.14
- 3) 5.62
- 4) no solution

41 42 Intersect

7. The function $f(x) = \sqrt{x}$. Which function represents a shift of the graph left 3 units and up 2 units?

- 1) $g(x) = \sqrt{x-3} - 2$
- 2) $g(x) = \sqrt{x+3} + 2$
- 3) $g(x) = \sqrt{x+2} - 3$
- 4) $g(x) = \sqrt{x-2} + 3$

x+3 +2


left 3 up 2

8. Joey's math class is studying the basic quadratic function, $f(x) = x^2$. Each student is supposed to make two new functions by adding or subtracting a constant to the function. Joey chooses the function $g(x) = (x+2)^2 - 5$. What transformations would map $f(x)$ to $g(x)$?

- 1) shift left 2, shift down 5
- 2) shift right 2, shift down 5
- 3) shift right 5, shift up 2
- 4) shift left 5, shift down 2

left 2 down 5

9. A manager wanted to analyze the online shoe sales for his business. He created a graph to model the data, as shown below. Determine the average rate of change between the sixth and fourteenth hours, and explain what it means in the context of the problem.



$\frac{y_2 - y_1}{x_2 - x_1}$

120	9
6	120
14	0

$\frac{0-120}{14-6} = -15$

On average, from hour 6 to hour 14, the pairs of shoes sold decreased by 15 pairs of shoes per hour.

10. The population, $P(t)$, of a town increased according to the function $P(t) = 12,000(1.03)^t$, where t is the number of years since 2000. Find the average rate of change from $t = 10$ to $t = 20$ rounding to the nearest integer. Explain its meaning in the context of the problem.

get table from calculator

$$\begin{array}{r|l} x & y \\ \hline 10 & 16127 \\ 20 & 21673 \end{array}$$

$$\frac{y_2 - y_1}{x_2 - x_1}$$

$$\frac{21673 - 16127}{20 - 10} = \frac{5546}{10} = 555$$

On average, from year 10 to year 20, the population increased by 555 people per year

11. The table below shows the number of hours of daylight on the first day of each month in Rochester, NY. Given the data, what is the average rate of change in hours of daylight per month from January 1st to April 1st? Interpret what this means in the context of the problem.

Month	Hours of Daylight
Jan. 1	9.4
Feb. 2	10.6
March 3	11.9
April 4	13.9
May 5	14.7
June 6	15.4
July 7	15.1
Aug. 8	13.9
Sept. 9	12.5
Oct. 10	11.1
Nov. 11	9.7
Dec. 12	9.0

$$\begin{array}{r|l} x & y \\ \hline 1 & 9.4 \\ 4 & 13.9 \end{array}$$

$$\frac{y_2 - y_1}{x_2 - x_1}$$

$$\frac{13.9 - 9.4}{4 - 1} = 1.5$$

On average, from January 1 to April 1, the number of daylight hours in Rochester increased by 1.5 hours per month.

12. Given $f(x) = \frac{1}{2}x + 8$, which equation represents the inverse, $g(x)$?

1) $g(x) = 2x - 8$

3) $g(x) = -\frac{1}{2}x + 8$

2) $g(x) = 2x - 16$

$$\begin{array}{r|l} x & y \\ \hline 8 & 0 \\ 10 & 4 \end{array}$$

4) $g(x) = -\frac{1}{2}x - 16$

$$\begin{array}{r|l} x & y \\ \hline 0 & 8 \\ 2 & 9 \\ 4 & 10 \end{array} \rightarrow \begin{array}{r|l} x & y \\ \hline 8 & 0 \\ 9 & 2 \\ 10 & 4 \end{array}$$

$2x = y + 16$
 $-16 \quad -16$
 $2x - 16 = y$

13. The inverse of $f(x) = -6x + \frac{1}{2}$ is

1) $f^{-1}(x) = 6x - \frac{1}{2}$

3) $f^{-1}(x) = -\frac{1}{6}x + \frac{1}{12}$

2) $f^{-1}(x) = \frac{1}{-6x + \frac{1}{2}}$

4) $f^{-1}(x) = -\frac{1}{6}x + 2$







$$\begin{array}{r|l} x & y \\ \hline 2 & 1 \\ 3 & -1 \end{array}$$

$y = -6x + \frac{1}{2}$
 $2(x - (-6y) + \frac{1}{2})$
 $2x = -12y + \frac{1}{2}$
 $-1 \quad -1$
 $2x = -12y + \frac{1}{2}$
 $-12 \quad -12$

does not work!

$\frac{1}{6}x + \frac{1}{12} = y$

Determine whether the following are even functions, odd functions, or neither. Explain your answer.



20. The expression $(x+i)^2 - (x-i)^2$ is equivalent to

- 1) 0 3) -2
 2) $-2 + 4xi$ 4) $4xi$ 40i

$-2400 - 300i$

21. The expression $6xi^3(-4xi + 5)$ is equivalent to

- 1) $2x - 5i$ 3) $-24x^2 + 30x - i$
 2) $-24x^2 - 30xi$ 4) $26x - 24x^2i - 5i$
1) $-2400 - 300i$

22. Which value is *not* contained in the solution of the system shown below?

$4x - 5y + 2z = 130$
 $3x + 2y - 7z = -99$
 $10x - 6y - 4z = 112$

- 1) -8 3) 10
 2) -12 4) 15

Ply Sm1 + 2
 $x = 10$
 $y = -12$
 $z = 15$

23. Which value is contained in the solution of the system shown below?

$3x + y + z = -4$
 $x - 2y + z = -5$
 $2x + 3y - 2z = -9$

- 1) -3 3) -5
 2) -4 4) -9

Ply Sm1 + 2
 $x = -4$
 $x = 3$
 $x = 5$