


Name \_\_\_\_\_  
Mr. Schlansky

Date \_\_\_\_\_  
Algebra II

## ***Statistics Review Sheet***

1. Is the following an observational study or an experiment? Explain your answer.
  - a) A study is done to see how high soda will erupt when mint candies are dropped into two-liter bottles of soda. You want to compare using one mint candy, five mint candies, and 10 mint candies. You design a cylindrical mechanism, which drops the desired number of mint candies all at once. You have 15 bottles of soda to use. You randomly assign five bottles into which you drop one candy, five into which you drop five candies, and five into which you drop 10 candies. For each bottle, you record the height of the eruption created after the candies are dropped into it.
  - b) You want to see if fifth-grade boys or fifth-grade girls are faster at solving Ken-Ken puzzles. You randomly select twenty fifth-grade boys and twenty fifth-grade girls from fifth graders in your school district. You time and record how long it takes each student to solve the same Ken-Ken puzzle correctly.
2. Suppose that in your health class you read two studies on the relationship between eating breakfast and success in school for elementary school children. Both studies concluded that eating breakfast causes elementary school children to be successful in school.
  - a) Suppose that one of the studies was an observational study. Describe how you would recognize that they had conducted an observational study. Were the researchers correct in their causal conclusion?
  - b) Suppose that one of the studies was an experiment. Describe how you would recognize that they had conducted an experiment. Were the researchers correct in their causal conclusion?

3. The following is an example of a sampling distribution of sample proportions of heads in **40** flips of a coin. The mean is .4955 and the sample standard deviation is .0852.



Find the margin of error and the confidence interval. Explain the meaning of the confidence interval in the context of the problem.

What is the sample mean? What is population mean? How do they compare?

Is the coin fair? Explain.

Fred flipped a coin 40 times and 65% of the flips came up heads. Is this an expected outcome? Explain your answer.

If this experiment was performed where the coin was flipped 20 times, how would the data be affected?

4. Which survey is *least* likely to contain bias?


- 1) surveying a sample of people leaving a movie theater to determine which flavor of ice cream is the most popular
- 2) surveying the members of a football team to determine the most watched TV sport
- 3) surveying a sample of people leaving a library to determine the average number of books a person reads in a year
- 4) surveying a sample of people leaving a gym to determine the average number of hours a person exercises per week

5. A survey is to be conducted in a small upstate village to determine whether or not local residents should fund construction of a skateboard park by raising taxes. Which segment of the population would provide the most unbiased responses?

- 1) a club of local skateboard enthusiasts
- 2) senior citizens living on fixed incomes
- 3) a group opposed to any increase in taxes
- 4) every tenth person 18 years of age or older walking down Main St.


6. Elizabeth waited for 6 minutes at the drive thru at her favorite fast-food restaurant the last time she visited. She was upset about having to wait that long and notified the manager. The manager assured her that her experience was very unusual and that it would not happen again. A study of customers commissioned by this restaurant found an approximately normal distribution of results. The mean wait time was 226 seconds and the standard deviation was 38 seconds. Given these data, and using a 95% level of confidence, was Elizabeth's wait time unusual? Justify your answer.

7. A group of students was trying to determine the proportion of candies in a bag that are blue. The company claims that 24% of candies in bags are blue. A simulation was run 100 times with a sample size of 50, based on the premise that 24% of the candies are blue. The approximately normal results of the simulation are shown in the dot plot below.



The simulation results in a mean of 0.254 and a standard deviation of 0.060. Based on this simulation, what is a plausible interval containing the middle 95% of the data? A student found that 18 out of 50 of the candies were blue. Use statistical evidence to explain why this is an expected value.

8. Charlie's Automotive Dealership is considering implementing a new check-in procedure for customers who are bringing their vehicles for routine maintenance. The dealership will launch the procedure if 50% or more of the customers give the new procedure a favorable rating when compared to the current procedure. The dealership devises a simulation based on the minimal requirement that 50% of the customers prefer the new procedure. Each dot on the graph below represents the proportion of the customers who preferred the new check-in procedure, each of sample size 40, simulated 100 times.



Assume the set of data is approximately normal and the dealership wants to be 95% confident of its results. Determine an interval containing the plausible sample values for which the dealership will launch the new procedure. Round your answer to the *nearest hundredth*. Forty customers are selected randomly to undergo the new check-in procedure and the proportion of customers who prefer the new procedure is 32.5%. The dealership decides *not* to implement the new check-in procedure based on the results of the study. Use statistical evidence to explain this decision.


9. A company created a pill that is supposed to reduce the length of the common cold. Describe a controlled experiment to test this hypothesis.

10. A farm is experimenting with a drug to increase the size of its chickens. Describe a controlled experiment that can be performed to see if this drug is effective.

11. Seventy-two students are randomly divided into two equally-sized study groups. Each member of the first group (group 1) is to meet with a tutor after school twice each week for one hour. The second group (group 2), is given an online subscription to a tutorial account that they can access for a maximum of two hours each week. Students in both groups are given the same tests during the year. A summary of the two groups' final grades is shown below:

	Group 1	Group 2
$\bar{x}$	80.16	83.8
$S_x$	6.9	5.2

Calculate the mean difference in the final grades (group 1 – group 2) and explain its meaning in the context of the problem. A simulation was conducted in which the students' final grades were rerandomized 500 times. The results are shown below.




Use the simulation to determine if there is a significant difference in the final grades. Explain your answer.

12. To determine if the type of music played while taking a quiz has a relationship to results, 16 students were randomly assigned to either a room softly playing classical music or a room softly playing rap music. The results on the quiz were as follows:

Classical: 74, 83, 77, 77, 84, 82, 90, 89

Rap: 77, 80, 78, 74, 69, 72, 78, 69

John correctly rounded the difference of the means of his experimental groups as 7. How did John obtain this value and what does it represent in the given context? Justify your answer. To determine if there is any significance in this value, John rerandomized the 16 scores into two groups of 8, calculated the difference of the means, and simulated this process 250 times as shown below.



Does the simulation support the theory that there may be a significant difference in quiz scores? Explain.

13. The accompanying table shows the amount of water vapor,  $y$ , that will saturate 1 cubic meter of air at different temperatures,  $x$ .

Write an exponential regression equation for this set of data, rounding all values to the *nearest thousandth*. Using this equation, predict the amount of water vapor that will saturate 1 cubic meter of air at a temperature of  $50^{\circ}\text{C}$ , and round your answer to the *nearest tenth of a gram*.

**Amount of Water Vapor That Will Saturate  
1 Cubic Meter of Air at Different Temperatures**

Air Temperature ( $x$ ) ( $^{\circ}\text{C}$ )	Water Vapor ( $y$ ) (g)
-20	1
-10	2
0	5
10	9
20	17
30	29
40	50

14. Jean invested \$380 in stocks. Over the next 5 years, the value of her investment grew, as shown in the accompanying table.

Years Since Investment ( $x$ )	Value of Stock, in Dollars ( $y$ )
0	380
1	395
2	411
3	427
4	445
5	462

Write the exponential regression equation for this set of data, rounding all values to *two decimal places*.

Using this equation, find the value of her stock, to the *nearest dollar*, 10 years after her initial purchase.